Cumulative Author Index, Volume 19*

A

Achauer BM (*see* Celikoz et al). 1998;19:128-30
Allen J (*see* Crowe et al). 1998;19:183-6
Allwood J, Desmond L. Keeping on track with NATIONAL TRACS®/ABA Burn Registry. 1998;19:66-72
Angel C (*see* Pierre et al). 1998;19:131-4
Archer SB, Henke A, Greenhalgh DG, Warden GD. The use of sheet autografts to cover extensive burns in patients. 1998;19:33-8

B

Bahoric A (*see* Fraulin et al). 1998;19:337-45
Balakrishnan C, Maralani S, Emanuele JA. Traumatic urethral fistula in a patient with burns. 1998;19:57-8 (Case rep.)
Banaszewski M (*see* Biggs et al). 1998;19:442-9
Barillo DJ (*see* Bird et al). 1998;19:522-7
Barlow MS (*see* Orgill et al). 1998;19:203-9
Baruch LD (*see* Himel et al). 1998;19:62-5 (Case rep.)
Baur KM, Hardy PE, Van Dorsten B. Posttraumatic stress disorder in burn populations: a critical review of the literature. 1998;19:230-40
Behrends LG (*see* Ramirez et al). 1998;19:124-7
Belcher K (*see* Purvis et al). 1998;19:538-41
Bennett B, Gamelli R. Profile of an abused burned child. 1998;19:88-94
Bentram D (*see* Edlich et al). 1998;19:390-8
Besner GE, Klamar JE. Integra Artificial Skin as a useful adjunct in the treatment of purpura fulminans. 1998;19:324-9
—— (*see* Cribbs et al). 1998;19:95-101
Biggs KS, de Linde L, Banaszewski M, Heinrich JJ. Determining the current roles of physical and occupational therapists in burn care. 1998;19:442-9
Birckmayer J (*see* Grant et al). 1998;19:265-7
Bird PE, Harrington DT, Barillo DJ, McSweeney A, Shirani KZ, Goodwin CW. Elder abuse: a call to action. 1998;19:522-7
Bishop JF (*see* Clayton and Bishop). 1998;19:358-63
Blakeney P (*see* Ramirez et al). 1998;19:124-7
—— (*see* Robert et al). 1998;19:430-5
Boone DE (*see* Boone et al). 1998;19:216-8
Boone KD, Boone DE, Lewis RW II, Kealey GP. A retrospective study of the incidence and prevalence of thermal corneal injury in patients with burns. 1998; 19:216-8

*January/February, Part 1, pp. 1-94; January/February, Part 2, pp. S95-S282; March/April, pp. 95-188; May/June, pp. 189-278; July/August, pp. 279-376; September/October, pp. 377-460; November/December, pp. 461-574.

The index to the abstracts of the Thirtieth Annual Meeting of the American Burn Association is located in the January/February, Number 1, Part 2 issue.

Boosalis MG. Commentary: nutrition forum. 1998; 19:73-4
Boyd TM (*see* Jeng et al). 1998;19:305-11
Brand-Saberi B (*see* Horch et al). 1998;19:189-202
Brandt CP, Yurko L, Coffee T, Fratianne R. Complete integration of inpatient and outpatient burn care: evolution of an outpatient burn clinic. 1998;19:406-8
Bratton SL (*see* Sharar et al). 1998;19:516-21
Brofeldt BT (*see* Jönsson et al). 1998;19:50-6
Brown DL, Greenhalgh DG, Warden GD. Purpura fulminans: a disease best managed in a burn center. 1998;19:119-23
Burman I (*see* Field et al). 1998;19:241-4
Burrell R (*see* Tredget et al). 1998;19:531-7
Button BM (*see* Kinsky et al). 1998;19:1-9

C

Cairns BA (*see* Hultman et al). 1998;19:367-76
Calabria R (*see* Mele et al). 1998;19:138-41
Caldwell FT Jr, Graves DB, Wallace BH. Calorigenic response of burned rats with adrenal medullectomies to catecholamines. 1998;19:106-14
——, ——, ——. Chronic indomethacin administration blocks increased body temperature after burn injury in rats. 1998;19:501-11
Cameron PU (*see* van Baare et al). 1998;19:494-500
Carino E (*see* Heggers et al). 1998;19:512-5
Carrougher GJ (*see* Sharar et al). 1998;19:516-21
Cartotto R (*see* Punja et al). 1998;19:142-5 (Case rep.)
Cassuto J (*see* Jönsson et al). 1998;19:50-6
Celikoz B, Achauer BM, VanderKam VM. Hot-press hand burn treatment. 1998;19:128-30
Chang P, Rosenquist MD, Lewis RW II, Kealey GP. A study of functional viability and metabolic degeneration of human skin stored at 4° C. 1998;19:25-8
Choe EU (*see* Ferrara et al). 1998;19:296-304
Choucair R (*see* Sheridan et al). 1998;19:29-32
—— (*see* Sheridan et al). 1998;19:528-30
Clarke HM (*see* Fraulin et al). 1998;19:337-45
Clayton MC, Bishop JF. Perioperative and postoperative dressing techniques for Integra Artificial Skin: views from two medical centers. 1998;19:358-63
Clyne KE (*see* Paul et al). 1998;19:321-3
Coffee T (*see* Brandt et al). 1998;19:406-8
Colon-Santini J (*see* Still et al). 1998;19:364-5
Compton CC, Warland G, Kratz G. Melanocytes in cultured epithelial grafts are depleted with serial subcultivation and cryopreservation: implications for clinical outcome. 1998;19:330-6
Corbei O (*see* Horch et al). 1998;19:189-202
Cortiella J (*see* Pierre et al). 1998;19:131-4
—— (*see* Sharar et al). 1998;19:516-21

Costa BA (*see* Nakamura et al). 1998;19:181-2
Craft-Coffman B (*see* Still et al). 1998;19:364-5
Cribbs RK, Luquette MH, Besner GE. Acceleration of partial-thickness burn wound healing with topical application of heparin-binding EGF-like growth factor (HB-EGF). 1998;19:95-101
Crowe JM, Simpson K, Johnson W, Allen J. Reliability of photographic analysis in determining change in scar appearance. 1998;19:183-6
Crowe SM (*see* van Baare et al). 1998;19:494-500
Cusick JM, Grant EJ, Kucan JO. Children's sleepwear: relaxation of the Consumer Product Safety Commission's flammability standards (1997;19:469-76). 1998: 19:267 (Correction)

D

Davis JW (*see* Kaups et al). 1998;19:346-8
de Chalain TMB, Tang C, Thomson HG. Burn area color changes after superficial burns in childhood: can they be predicted? 1998;19:39-49
DeClement FA (*see* Roth et al). 1998;19:487-93
Deitch EA. The ABA at 30: a SWOT analysis. 1998; 19:462-9
de Linde L (*see* Biggs et al). 1998;19:442-9
Demling R, DeSanti L. Increased protein intake during the recovery phase after severe burns increases body weight gain and muscle function. 1998;19:161-8
—— (*see* DeSanti et al). 1998;19:414-9
—— (*see* Youn et al). 1998;19:542-8
Desai MH, Mlcak R, Richardson J, Nichols R, Herndon DN. Reduction in mortality in pediatric patients with inhalation injury with aerosolized heparin/acetylcystine therapy. 1998;19:210-2
DeSanti L, Lincoln L, Egan F, Demling R. Development of a burn rehabilitation unit: impact on burn center length of stay and functional outcome. 1998;19:414-9
—— (*see* Demling and DeSanti). 1998;19:161-8
Desmond L (*see* Allwood and Desmond). 1998;19:66-72
Diaz M (*see* Ko et al). 1998;19:409-13
Diller KR. Modeling thermal skin burns on a personal computer. 1998;19:420-9
Dimick PL (*see* Gibbons et al). 1998;19:225-9
Dominic WJ (*see* Kaups et al). 1998;19:346-8
Donelan M (*see* Sheridan et al). 1998;19:29-32
—— (*see* Sheridan et al). 1998;19:528-30
Dorman JB (*see* Purvis et al). 1998;19:538-41
Dutcher KD (*see* Nakamura et al). 1998;19:349-51

E

Edgar P (see Heggers et al). 1998;19:399-403
Edlich RF, Neal JG, Suber F, Kirby D, Woods JA, Bentram D, McGawen J. A new barrier-free burn center. 1998;19:390-8
Edwards WT (*see* Sharar et al). 1998;19:516-21
Egan F (*see* DeSanti et al). 1998;19:414-9
Ehde DM, Patterson DR, Fordyce WE. The quota system in burn rehabilitation. 1998;19:436-40
—— (*see* Kendall-Grove et al). 1998;19:312-6
Eichelberger MR (*see* Gotschall et al). 1998;19:279-83
Eldad BGA. "Out of the Strong Came Forth Sweetness": on the contribution of military conflicts to the development of burn treatment in Israel. 1998;19:470-9
Eliaz R, Grossman N, Katz S, Zur-Mashiach R, Grunwald MH, Reuveni H, Rosenberg L, Kost J. In vitro analysis of bromine chemical burns with use of full-thickness human skin. 1998;19:18-24
Emanuele JA (*see* Balakrishnan et al). 1998;19:57-8 (Case rep.)
Emerson E (*see* Ko et al). 1998;19:409-13
Emil S, Rockstad R, Vannix D. Hemolytic uremic syndrome in a child with burn injuries. 1998;19:135-7
English KB (*see* Ward et al). 1998;19:10-7
Engoren MC. Negative-pressure pulmonary edema with a patent airway. 1998;19:317-20
Engrav LH (*see* Nakamura et al). 1998;19:181-2
—— (*see* Nakamura et al). 1998;19:349-51
Eudell E (*see* Lawrence et al). 1998;19:480-6

F

Fauerbach J, Lawrence J, Stevens S, Munster A. Work status and attrition from longitudinal studies are influenced by psychiatric disorder. 1998;19:248-52
—— (*see* Lawrence et al). 1998;19:480-6
Ferrara JJ, Franklin EW, Kukuy EL, Flynn DM, Gilman DA, Keller VA, Choe EU, Flint LM, Lefer DJ. Lymph isolated from a regional scald injury produces a negative inotropic effect in dogs. 1998;19:296-304
Field T, Peck M, Krugman S, Tuchel T, Schanberg S, Kuhn C, Burman I. Burn injuries benefit from massage therapy. 1998;19:241-4
Flint LM (*see* Ferrara et al). 1998;19:296-304
Flynn DM (*see* Ferrara et al). 1998;19:296-304
Foertsch CE, O'Hara MW, Stoddard FJ, Kealey GP. Treatment-resistant pain and distress during pediatric burn-dressing changes. 1998;19:219-24
Fordyce WE (*see* Ehde et al). 1998;19:436-40
Forjuoh SN. The mechanisms, intensity of treatment, and outcomes of hospitalized burns: issues for prevention. 1998;19:456-60
Formanek-Corbei B (*see* Horch et al). 1998;19:189-202
Franklin EW (*see* Ferrara et al). 1998;19:296-304
Fratianne R (*see* Brandt et al). 1998;19:406-8
Fraulin FOG, Bahoric A, Harrop AR, Hiruki T, Clarke HM. Autotransplantation of epithelial cells in the pig via an aerosol vehicle. 1998;19:337-45
Fuller C (*see* Grant et al). 1998;19:265-7

G

Gamelli R (*see* Bennett and Gamelli). 1998;19:88-94
Germain TJ (*see* Haith et al). 1998;19:59-61 (Case rep.)
Gibbons J, Honari SR, Sharar SR, Patterson DR, Dimick PL, Heimbach DM. Opiate-induced respiratory depression in young pediatric burn patients. 1998; 19:225-9

Gibran NS (*see* Nakamura et al). 1998;19:349-51
Gilman DA (*see* Ferrara et al). 1998;19:296-304
Glicksman A. Sterilizing a Clinitron air-fluidized bed with colistine powder. 1998;19:245-6
Goodheart R (*see* Heggers et al). 1998;19:512-5
Goodwin CW (*see* Bird et al). 1998;19:522-7
Gordon M, Greenfield E, Marvin J, Hester C, Lauterbach S. Use of pain assessment tools: is there a preference? 1998;19:451-4
Gotschall CS, Morrison MIS, Eichelberger MR. Prospective, randomized study of the efficacy of Mepitel on children with partial-thickness scalds. 1998;19:279-83
Gottschlich MM (*see* Jenkins et al). 1998;19:75-81
Graham M (*see* Punja et al). 1998;19:142-5 (Case rep.)
Granick MS (*see* Roth et al). 1998;19:487-93
Grant EJ, Fuller C, Birckmayer J, Marshall S, Peterson HD. State study of pyrotechnics-related injuries and property damage. 1998;19:265-7
—— (*see* Hultman et al). 1998;19:367-76
Grant J (*see* Still et al). 1998;19:364-5
Graves DB (*see* Caldwell et al). 1998;19:106-14
—— (*see* Caldwell et al). 1998;19:501-11
Greenfield E (*see* Gordon et al). 1998;19:451-4
Greenhalgh DG (*see* Archer et al). 1998;19:33-8
—— (*see* Brown et al). 1998;19:119-23
Groeneveld A (*see* Tredget et al). 1998;19:531-7
Grossman N (*see* Eliaz et al). 1998;19:18-24
Grube BJ (*see* Nakamura et al). 1998;19:349-51
Grunwald MH (*see* Eliaz et al). 1998;19:18-24
Guha SC (*see* Kinsky et al). 1998;19:1-9

H

Haith LR Jr, Moss BE, Kraut JD, Patton ML, Germain TJ. Trilaminar skin coverage combined with cultured epithelial autografts—a new technique for treating the elderly patient with burn injuries. 1998;19:59-61 (Case rep.)
Hansen SL (*see* Paul et al). 1998;19:321-3
Hardy PE (*see* Baur et al). 1998;19:230-40
Harlan JM (*see* Talbott et al). 1998;19:284-91
Harrington DT (*see* Bird et al). 1998;19:522-7
Harrop AR (*see* Fraulin et al). 1998;19:337-45
Harviel JD (*see* Jeng et al). 1998;19:305-11
Heggers JP, Goodheart R, Carino E, McCoy L, Ramirez RJ, Maness C. Is the limulus amebocyte lysate the sole predictor of septic episodes in major thermal injuries? 1998;19:512-5
——, McCoy L, Reisner B, Smith M, Edgar P, Ramirez RJ. Alternate antimicrobial therapy for vancomycin-resistant enterococci burn wound infections. 1998;19:399-403
Heimbach D (*see* Peck et al). 1998;19:386-9
Heimbach DM (*see* Gibbons et al). 1998;19:225-9
—— (*see* Matsumura et al). 1998;19:292-5
—— (*see* Nakamura et al). 1998;19:349-51
Heinrich JJ (*see* Biggs et al). 1998;19:442-9
Henke A (*see* Archer et al). 1998;19:33-8
Hensell DO (*see* Roth et al). 1998;19:487-93
Herndon DN (*see* Desai et al). 1998;19:210-2
—— (*see* Pierre et al). 1998;19:131-4
—— (*see* Ramirez et al). 1998;19:124-7
Hester C (*see* Gordon et al). 1998;19:451-4
Himel HN, Ratliff CR, Baruch LD, Rodeheaver GT. Pilot study of a unique film dressing for the treatment of donor site wounds. 1998;19:62-5 (Case rep.)
Hiruki T (*see* Fraulin et al). 1998;19:337-45
Holder IA. Incorrect comparison relating test MICs and clear zone diameter by use of NAWD. 1998;19:187-8 (Letter)
Honari SR (*see* Gibbons et al). 1998;19:225-9
Horch RE, Corbei O, Formanek-Corbei B, Brand-Saberi B, Vanscheidt W, Stark GB. Reconstruction of basement membrane after 'sandwich-technique' skin grafting for severe burns demonstrated by immunohistochemistry. 1998;19:189-202
Hughes WB (*see* Roth et al). 1998;19:487-93
Hultman CS, Priolo D, Cairns BA, Grant EJ, Peterson HD, Meyer AA. Return to jeopardy: the fate of pediatric burn patients who are victims of abuse and neglect. 1998;19:367-76

I

Ikeda CJ (*see* Mele et al). 1998;19:138-41
Işik Y (*see* Soran et al). 1998;19:404-5

J

Jablonski KA (*see* Jeng et al). 1998;19:305-11
Jeng JC, Boyd TM, Jablonski KA, Harviel JD, Jordan MH. Intraoperative blood salvage in excisional burn surgery: an analysis of yield, bacteriology, and inflammatory mediators. 1998;19:305-11
Jenkins ME, Gottschlich MM, Kopcha R, Khoury J, Warden GD. A prospective analysis of serum vitamin K in severely burned pediatric patients. 1998;19:75-81
Johansson O (*see* Ward et al). 1998;19:10-7
Johnson V (*see* Kendall-Grove et al). 1998;19:312-6
Johnson W (*see* Crowe et al). 1998;19:183-6
Jones LM. The Biobrane stent. 1998;19:352-3
Jönsson A, Brofeldt BT, Nellgård P, Tarnow P, Cassuto J. Local anesthetics improve dermal perfusion after burn injury. 1998;19:50-6
Jordan MH (*see* Jeng et al). 1998;19:305-11
Jung S-E (see Youn et al). 1998;19:542-8

K

Katz S (*see* Eliaz et al). 1998;19:18-24
Kaups KL, Davis JW, Dominic WJ. Base deficit as an indicator of resuscitation needs in patients with burn injuries. 1998;19:346-8
Kealey GP (*see* Boone et al). 1998;19:216-8
—— (*see* Chang et al). 1998;19:25-8
—— (*see* Foertsch et al). 1998;19:219-24
Keller VA (*see* Ferrara et al). 1998;19:296-304
Kendall-Grove KJ, Ehde DM, Patterson DR, Johnson V.

Rates of dysfunction in parents of pediatric patients with burns. 1998;19:312-6
Khoury J (*see* Jenkins et al). 1998;19:75-81
Kim YJ (*see* Ko et al). 1998;19:409-13
Kinsky MP, Guha SC, Button BM, Kramer GC. The role of interstitial Starling forces in the pathogenesis of burn edema. 1998;19:1-9
Kirby D (*see* Edlich et al). 1998;19:390-8
Kito N (*see* Purvis et al). 1998;19:538-41
Klamar JE (*see* Besner and Klamar). 1998;19:324-9
Ko F, Diaz M, Smith P, Emerson E, Kim YJ, Krizek TJ, Robson MC. Toxic effects of capsaicin on keratinocytes and fibroblasts. 1998;19:409-13
Kopcha R (*see* Jenkins et al). 1998;19:75-81
Kost J (*see* Eliaz et al). 1998;19:18-24
Kramer GC (*see* Kinsky et al). 1998;19:1-9
Kratz G (*see* Compton et al). 1998;19:330-6
Kraut JD (*see* Haith et al). 1998;19:59-61 (Case rep.)
Krizek TJ (*see* Ko et al). 1998;19:409-13
Krugman S (*see* Field et al). 1998;19:241-4
Kuhn C (*see* Field et al). 1998;19:241-4
Kukuy EL (*see* Ferrara et al). 1998;19:296-304

L

Lauterbach S (*see* Gordon et al). 1998;19:451-4
Law E (*see* Purvis et al). 1998;19:538-41
—— (*see* Still et al). 1998;19:364-5
Lawrence J, Fauerbach J, Eudell E, Ware L, Munster A. Sleep disturbance after burn injury: a frequent yet understudied complication. 1998;19:480-6
—— (*see* Fauerbach et al). 1998;19:248-52
Lefer DJ (*see* Ferrara et al). 1998;19:296-304
Levy FH (*see* Sharar et al). 1998;19:516-21
Lewis RW II (*see* Boone et al). 1998;19:216-8
—— (*see* Chang et al). 1998;19:25-8
Lincoln L (*see* DeSanti et al). 1998;19:414-9
Linder SA (*see* Mele et al). 1998;19:138-41
Luquette MH (*see* Cribbs et al). 1998;19:95-101
Lydon M (*see* Sheridan et al). 1998;19:115-8
—— (*see* Sheridan et al). 1998;19:528-30
Lynch JB (*see* Paulsen et al). 1998;19:377-81

M

Maness C (*see* Heggers et al). 1998;19:512-5
Mann R (*see* Matsumura et al). 1998;19:292-5
—— (*see* Nakamura et al). 1998;19:181-2
—— (*see* Nakamura et al). 1998;19:349-51
Maralani S (*see* Balakrishnan et al). 1998;19:57-8 (Case rep.)
Marshall S (*see* Grant et al). 1998;19:265-7
Marvin J (*see* Gordon et al). 1998;19:451-4
Matsumura H, Meyer NA, Mann R, Heimbach DM. Melting graft–wound syndrome. 1998;19:292-5
McCoy L (*see* Heggers et al). 1998;19:399-403
—— (*see* Heggers et al). 1998;19:512-5
McDonald-Smith GP. Descriptive statistics: practical applications of the NATIONAL TRACS®/ABA Burn Registry. 1998;19:261-4
——. Progress report: 1998 NATIONAL TRACS®/ABA Burn Registry and related activities. 1998;19:354-7
McGawen J (*see* Edlich et al). 1998;19:390-8
McManus A (*see* Peck et al). 1998;19:386-9
McSweeney A (*see* Bird et al). 1998;19:522-7
Mele JA III, Linder SA, Calabria R, Ikeda CJ. HIV seropositivity in a burn center's population. 1998;19:138-41
Meyer AA (*see* Hultman et al). 1998;19:367-76
Meyer NA (*see* Matsumura et al). 1998;19:292-5
Meyer WJ III (*see* Robert et al). 1998;19:430-5
Middelkoop E (*see* van Baare et al). 1998;19:494-500
Mlcak R (*see* Desai et al). 1998;19:210-2
Morrison MIS (*see* Gotschall et al). 1998;19:279-83
Moss BE (*see* Haith et al). 1998;19:59-61 (Case rep.)
Munster A (*see* Fauerbach et al). 1998;19:248-52
—— (*see* Lawrence et al). 1998;19:480-6

N

Nakamura DY, Costa BA, Mann R, Engrav LH. Silipos neck wraps. 1998;19:181-2
——, Gibran NS, Mann R, Engrav LH, Heimbach DM, Dutcher KD, Grube BJ. The Unna 'sleeve': an effective postoperative dressing for pediatric arm burns. 1998;19:349-51
Nanney LB (*see* Paulsen et al). 1998;19:377-81
Neal JG (*see* Edlich et al). 1998;19:390-8
Neely AN, Smith WL, Warden GD. Efficacy of a rise in C-reactive protein serum levels as an early indicator of sepsis in burned children. 1998;19:102-5
Nellgård P (*see* Jönsson et al). 1998;19:50-6
Nichols R (*see* Desai et al). 1998;19:210-2
Nickerson D (*see* Taylor et al). 1998;19:382-5
Noormohamed SE, Ray T. Effect of 'Compound R' on thermal burn and full-depth wound contracture in fuzzy rats. 1998;19:213-5

O

O'Connor NE (*see* Orgill et al). 1998;19:203-9
Oh S-K (*see* Youn et al). 1998;19:542-8
O'Hara MW (*see* Foertsch et al). 1998;19:219-24
Orgill DP, Solari MG, Barlow MS, O'Connor NE. A finite-element model predicts thermal damage in cutaneous contact burns. 1998;19:203-9

P

Pagnon J (*see* van Baare et al). 1998;19:494-500
Partridge J. Changing faces: taking up Macgregor's challenge. 1998;19:174-80
Patterson DR (*see* Ehde et al). 1998;19:436-40
—— (*see* Gibbons et al). 1998;19:225-9
—— (*see* Kendall-Grove et al). 1998;19:312-6
Patton ML (*see* Haith et al). 1998;19:59-61 (Case rep.)
Paul CN, Voigt DW, Clyne KE, Hansen SL. Case report:

oxaprozin and fatal toxic epidermal necrolysis. 1998;19:321-3
Paulsen SM, Nanney LB, Lynch JB. Titanium tetrachloride: an unusual agent with the potential to create severe burns. 1998;19:377-81
Paulson JC (*see* Talbott et al). 1998;19:284-91
Peck M (*see* Field et al). 1998;19:241-4
——, Weber J, McManus A, Sheridan R, Heimbach D. Surveillance of burn wound infections: a proposal for definitions. 1998;19:386-9
Peterson HD (*see* Grant et al). 1998;19:265-7
—— (*see* Hultman et al). 1998;19:367-76
Petras L (*see* Sheridan et al). 1998;19:115-8
—— (*see* Sheridan et al). 1998;19:528-30
Pierre EJ, Zwischenberger JB, Angel C, Upp J, Cortiella J, Sankar A, Herndon DN. Extracorporeal membrane oxygenation in the treatment of respiratory failure in pediatric patients with burns. 1998;19:131-4
Prelack K (*see* Sheridan et al). 1998;19:115-8
Priolo D (see Hultman et al). 1998;19:367-76
Pruzinsky T. Rehabilitation challenges for burn survivors with residual disfigurement: promising directions for intervention, research, and collaboration. 1998;19:169-73
Punja K, Graham M, Cartotto R. Continuous infusion of epidural morphine in frostbite. 1998;19:142-5 (Case rep.)
Purvis RJ, Law E, Still J, Belcher K, Kito N, Dorman JB. Nurses' attitudes toward do-not-resuscitate orders. 1998;19:538-41

R

Ramirez RJ, Behrends LG, Blakeney P, Herndon DN. Children with sensorimotor deficits: a special risk group. 1998;19:124-7
—— (*see* Heggers et al). 1998;19:399-403
—— (*see* Heggers et al). 1998;19:512-5
Ratliff CR (*see* Himel et al). 1998;19:62-5 (Case rep.)
Ray T (*see* Noormohamed and Ray). 1998;19:213-5
Reece J (*see* van Baare et al). 1998;19:494-500
Reisner B (*see* Heggers et al). 1998;19:399-403
Remensnyder J (*see* Sheridan et al). 1998;19:115-8
Reuveni H (*see* Eliaz et al). 1998;19:18-24
Richardson J (*see* Desai et al). 1998;19:210-2
Robert RS, Blakeney P, Meyer WJ III. Impact of disfiguring burn scars on adolescent sexual development. 1998;19:430-5
Robson MC (*see* Ko et al). 1998;19:409-13
Rockstad R (*see* Emil et al). 1998;19:135-7
Rodeheaver GT (*see* Himel et al). 1998;19:62-5 (Case rep.)
Rosenberg L (*see* Eliaz et al). 1998;19:18-24
—— (*see* Shani and Rosenberg). 1998;19:82-6
Rosenquist MD (*see* Chang et al). 1998;19:25-8
Roth JJ, Hughes WB, DeClement FA, Hensell DO, Granick MS, Tuszynski GP. Characteristics of thrombospondin-1 and its cysteine-serine-valine-threonine-cysteine-glycine receptor in burn wounds. 1998;19:487-93

S

Sankar A (*see* Pierre et al). 1998;19:131-4
Schanberg S (*see* Field et al). 1998;19:241-4
Serghiou M, Staley M. Proceedings of the Physical and Occupational Therapy Special Interest Group meeting. 1998;19:147-50
—— (*see* Staley and Serghiou). 1998;19:254-60
Shani E, Rosenberg L. Are we making an impact? A review of a burn prevention program in Israeli schools. 1998;19:82-6
Shankowsky HA (*see* Tredget et al). 1998;19:531-7
Sharar SR, Bratton SL, Carrougher GJ, Edwards WT, Summer G, Levy FH, Cortiella J. A comparison of oral transmucosal fentanyl citrate and oral hydromorphone for inpatient pediatric burn wound care analgesia. 1998;19:516-21
—— (*see* Gibbons et al). 1998;19:225-9
—— (*see* Talbott et al). 1998;19:284-91
Sheridan R, Choucair R, Donelan M, Lydon M, Petras L, Tompkins R. Acellular allodermis in burn surgery: 1-year results of a pilot trial. 1998;19:528-30
——, ——, ——. Management of massive calvarial exposure in young children. 1998;19:29-32
——, Remensnyder J, Prelack K, Petras L, Lydon M. Treatment of the seriously burned infant. 1998;19:115-8
—— (*see* Peck et al). 1998;19:386-9
Shirani KZ (*see* Bird et al). 1998;19:522-7
Simpson K (*see* Crowe et al). 1998;19:183-6
Smith M (*see* Heggers et al). 1998;19:399-403
Smith P (*see* Ko et al). 1998;19:409-13
Smith WL (*see* Neely et al). 1998;19:102-5
Snelling CFT (*see* Taylor et al). 1998;19:382-5
Solari MG (*see* Orgill et al). 1998;19:203-9
Solomon SE. On an island by myself: women of color with facial distinctions. 1998;19:268-78
Soran A, Yasti Ç, Tanik A, Işik Y. Pneumoperitoneum-assisted harvesting of split-thickness skin grafts from the abdomen. 1998;19:404-5
Staley M, Serghiou M. Casting guidelines, tips, and techniques: proceedings from the 1997 American Burn Association PT/OT Casting Workshop. 1998;19:254-60
—— (*see* Serghiou and Staley). 1998;19:147-50
Stark GB (*see* Horch et al). 1998;19:189-202
Stevens S (*see* Fauerbach et al). 1998;19:248-52
Still J, Craft-Coffman B, Law E, Colon-Santini J, Grant J. Burns of children caused by electric stoves. 1998;19:364-5
—— (*see* Purvis et al). 1998;19:538-41
Stoddard FJ (*see* Foertsch et al). 1998;19:219-24
Suber F (*see* Edlich et al). 1998;19:390-8
Suh G-J (*see* Youn et al). 1998;19:542-8
Summer G (*see* Sharar et al). 1998;19:516-21

T

Talbott GA, Sharar SR, Paulson JC, Harlan JM, Winn RK. Antibiotic therapy determines subcutaneous *Escherichia coli* abscess formation after CD18 inhibition in rabbits. 1998;19:284-91
Tang C (*see* de Chalain et al). 1998;19:39-49
Tanik A (*see* Soran et al). 1998;19:404-5
Tarnow P (*see* Jönsson et al). 1998;19:50-6
Taylor CD, Snelling CFT, Nickerson D, Trotter MJ. Acute development of invasive squamous cell carcinoma in a split-thickness skin graft donor site. 1998;19:382-5
Thomson HG (*see* de Chalain et al). 1998;19:39-49
Tompkins R (*see* Sheridan et al). 1998;19:528-30
Tredget EE, Shankowsky HA, Groeneveld A, Burrell R. A matched-pair, randomized study evaluating the efficacy and safety of Acticoat silver-coated dressing for the treatment of burn wounds. 1998;19:531-7
Trotter MJ (*see* Taylor et al). 1998;19:382-5
Tuchel T (*see* Field et al). 1998;19:241-4
Tuckett RP (*see* Ward et al). 1998;19:10-7
Tuszynski GP (*see* Roth et al). 1998;19:487-93

U

Ulmer JF. Burn pain management: a guideline-based approach. 1998;19:151-9
Upp J (*see* Pierre et al). 1998;19:131-4

V

van Baare J, Cameron PU, Vardaxis N, Pagnon J, Reece J, Middelkoop E, Crowe SM. Comparison of glycerol preservation with cryopreservation methods on HIV-1 inactivation. 1998;19:494-500
VanderKam VM (*see* Celikoz et al). 1998;19:128-30
Van Dorsten B (*see* Baur et al). 1998;19:230-40
Vannix D (*see* Emil et al). 1998;19:135-7
Vanscheidt W (*see* Horch et al). 1998;19:189-202
Vardaxis N (*see* van Baare et al). 1998;19:494-500
Voigt DW (*see* Paul et al). 1998;19:321-3

W

Wallace BH (*see* Caldwell et al). 1998;19:106-14
—— (*see* Caldwell et al). 1998;19:501-11
Ward RS, Tuckett RP, English KB, Johansson O. Cutaneous nerve distribution in adult rat hairy skin after thermal injury—an immunohistochemical study. 1998;19:10-7
Warden GD (*see* Archer et al). 1998;19:33-8
—— (*see* Brown et al). 1998;19:119-23
—— (*see* Jenkins et al). 1998;19:75-81
—— (*see* Neely et al). 1998;19:102-5
Ware L (*see* Lawrence et al). 1998;19:480-6
Warland G (*see* Compton et al). 1998;19:330-6
Weber J (*see* Peck et al). 1998;19:386-9
Winn RK (*see* Talbott et al). 1998;19:284-91
Woods JA (*see* Edlich et al). 1998;19:390-8

Y

Yasti Ç (*see* Soran et al). 1998;19:404-5
Youn Y-K, Suh G-J, Jung S-E, Oh S-K, Demling R. Recombinant human growth hormone decreases lung and liver tissue lipid peroxidation and increases antioxidant activity after thermal injury in rats. 1998;19:542-8
Yurko L (*see* Brandt et al). 1998;19:406-8

Z

Zur-Mashiach R (*see* Eliaz et al). 1998;19:18-24
Zwischenberger JB (*see* Pierre et al). 1998;19:131-4

Cumulative Subject Index, Volume 19*

A

Abdomen
Pneumoperitoneum-assisted harvesting of split-thickness skin grafts from the abdomen (Soran et al). 1998;19:404-5

Abscess
Antibiotic therapy determines subcutaneous *Escherichia coli* abscess formation after CD18 inhibition in rabbits (Talbott et al). 1998;19:284-91

Absorptive pressure
The role of interstitial Starling forces in the pathogenesis of burn edema (Kinsky et al). 1998;19:1-9

Abuse; *see* Child abuse; Elder abuse

Accidents, occupational
Hot-press hand burn treatment (Celikoz et al). 1998;19:128-30
Titanium tetrachloride: an unusual agent with the potential to create severe burns (Paulsen et al). 1998;19:377-81

Acetylcystine
Reduction in mortality in pediatric patients with inhalation injury with aerosolized heparin/acetylcystine therapy (Desai et al). 1998;19:210-2

Acticoat dressing; *see* Bandages

Adaptation, psychological
On an island by myself: women of color with facial distinctions (Solomon). 1998;19:268-78
Changing faces: taking up Macgregor's challenge (Partridge). 1998;19:174-80
Posttraumatic stress disorder in burn populations: a critical review of the literature (Baur et al). 1998;19:230-40
Rehabilitation challenges for burn survivors with residual disfigurement: promising directions for intervention, research, and collaboration (Pruzinsky). 1998;19:169-73
Work status and attrition from longitudinal studies are influenced by psychiatric disorder (Fauerbach et al). 1998;19:248-52

Administration, inhalation
Autotransplantation of epithelial cells in the pig via an aerosol vehicle (Fraulin et al). 1998;19:337-45
Reduction in mortality in pediatric patients with inhalation injury with aerosolized heparin/acetylcystine therapy (Desai et al). 1998;19:210-2

Administration, oral
A comparison of oral transmucosal fentanyl citrate and oral hydromorphone for inpatient pediatric burn wound care analgesia (Sharar et al). 1998;19:516-21

Administration, topical
Acceleration of partial-thickness burn wound healing with topical application of heparin-binding EGF-like growth factor (HB-EGF) (Cribbs et al). 1998;19:95-101
Incorrect comparison relating test MICs and clear zone diameter by use of NAWD (Holder). 1998;19:187-8 (Letter)
Local anesthetics improve dermal perfusion after burn injury (Jönsson et al). 1998;19:50-6

Adolescence
Impact of disfiguring burn scars on adolescent sexual development (Robert et al). 1998;19:430-5

Adrenal medulla
Calorigenic response of burned rats with adrenal medullectomies to catecholamines (Caldwell et al). 1998;19:106-14

Advance directives
Nurses' attitudes toward do-not-resuscitate orders (Purvis et al). 1998;19:538-41

Aerosol therapy; *see* Administration, inhalation

Agar
Incorrect comparison relating test MICs and clear zone diameter by use of NAWD (Holder). 1998;19:187-8 (Letter)

Aged
Trilaminar skin coverage combined with cultured epithelial autografts—a new technique for treating the elderly patient with burn injuries (Haith et al). 1998;19:59-61 (Case rep.)

Aged abuse; *see* Elder abuse

Agency for Health Care Policy and Research
Burn pain management: a guideline-based approach (Ulmer). 1998;19:151-9

Airway obstruction
Negative-pressure pulmonary edema with a patent airway (Engoren). 1998;19:317-20

Allograft; *see* Transplantation, homologous

Ambulatory care
Complete integration of inpatient and outpatient burn care: evolution of an outpatient burn clinic (Brandt et al). 1998;19:406-8

American Burn Association
The ABA at 30: a SWOT analysis (Deitch). 1998;19:462-9
Casting guidelines, tips, and techniques: proceedings from the 1997 American Burn Association PT/OT Casting Workshop (Staley and Serghiou). 1998;19:254-60

*January/February, Part 1, pp. 1-94; January/February, Part 2, pp. S95-S282; March/April, pp. 95-188; May/June, pp. 189-278; July/August, pp. 279-376; September/October, pp. 377-460; November/December, pp. 461-574.

Changing faces: taking up Macgregor's challenge (Partridge). 1998;19:174-80
Descriptive statistics: practical applications of the NATIONAL TRACS®/ABA Burn Registry (McDonald-Smith). 1998;19:261-4
Keeping on track with NATIONAL TRACS®/ABA Burn Registry (Allwood and Desmond). 1998; 19:66-72
Proceedings of the Physical and Occupational Therapy Special Interest Group meeting (Serghiou and Staley). 1998;19:147-50
Proceedings of the thirtieth annual meeting. 1998; 19:S95-282
Progress report: 1998 NATIONAL TRACS®/ABA Burn Registry and related activities (McDonald-Smith). 1998;19:354-7

Americans with Disabilities Act
A new barrier-free burn center (Edlich et al). 1998; 19:390-8

Ampicillin
Antibiotic therapy determines subcutaneous *Escherichia coli* abscess formation after CD18 inhibition in rabbits (Talbott et al). 1998;19:284-91

Analgesia
Burn pain management: a guideline-based approach (Ulmer). 1998;19:151-9
A comparison of oral transmucosal fentanyl citrate and oral hydromorphone for inpatient pediatric burn wound care analgesia (Sharar et al). 1998; 19:516-21
Continuous infusion of epidural morphine in frostbite (Punja et al). 1998;19:142-5 (Case rep.)
Opiate-induced respiratory depression in young pediatric burn patients (Gibbons et al). 1998;19:225-9

Anesthetics, local
Local anesthetics improve dermal perfusion after burn injury (Jönsson et al). 1998;19:50-6

Angiogenesis; *see* Neovascularization

Anti-inflammatory agents, non-steroidal
Case report: oxaprozin and fatal toxic epidermal necrolysis (Paul et al). 1998;19:321-3

Antibiotics
Alternate antimicrobial therapy for vancomycin-resistant enterococci burn wound infections (Heggers et al). 1998;19:399-403
Antibiotic therapy determines subcutaneous *Escherichia coli* abscess formation after CD18 inhibition in rabbits (Talbott et al). 1998;19:284-91
Hemolytic uremic syndrome in a child with burn injuries (Emil et al). 1998;19:135-7
Incorrect comparison relating test MICs and clear zone diameter by use of NAWD (Holder). 1998;19:187-8 (Letter)

Antibodies, monoclonal
Antibiotic therapy determines subcutaneous *Escherichia coli* abscess formation after CD18 inhibition in rabbits (Talbott et al). 1998;19:284-91

Antioxidants
Recombinant human growth hormone decreases lung and liver tissue lipid peroxidation and increases antioxidant activity after thermal injury in rats (Youn et al). 1998;19:542-8

Anxiety
Burn injuries benefit from massage therapy (Field et al). 1998;19:241-4
A comparison of oral transmucosal fentanyl citrate and oral hydromorphone for inpatient pediatric burn wound care analgesia (Sharar et al). 1998;19:516-21

Architectural accessibility
A new barrier-free burn center (Edlich et al). 1998; 19:390-8

Arm
The Unna 'sleeve': an effective postoperative dressing for pediatric arm burns (Nakamura et al). 1998; 19:349-51
The use of sheet autografts to cover extensive burns in patients (Archer et al). 1998;19:33-8

Attitude of health personnel
Nurses' attitudes toward do-not-resuscitate orders (Purvis et al). 1998;19:538-41

Autograft; *see* Transplantation, autologous

Autonomic nerve block
Continuous infusion of epidural morphine in frostbite (Punja et al). 1998;19:142-5 (Case rep.)

B

Bacterial infections
Is the limulus amebocyte lysate the sole predictor of septic episodes in major thermal injuries? (Heggers et al). 1998;19:512-5
A matched-pair, randomized study evaluating the efficacy and safety of Acticoat silver-coated dressing for the treatment of burn wounds (Tredget et al). 1998;19:531-7

Bacteriology
Intraoperative blood salvage in excisional burn surgery: an analysis of yield, bacteriology, and inflammatory mediators (Jeng et al). 1998; 19:305-11

Bandages
A matched-pair, randomized study evaluating the efficacy and safety of Acticoat silver-coated dressing for the treatment of burn wounds (Tredget et al). 1998;19:531-7
"Out of the Strong Came Forth Sweetness": on the contribution of military conflicts to the development of burn treatment in Israel (Eldad). 1998; 19:470-9
Perioperative and postoperative dressing techniques for Integra Artificial Skin: views from two medical centers (Clayton and Bishop). 1998;19:358-63
Pilot study of a unique film dressing for the treatment of donor site wounds (Himel et al). 1998;19:62-5 (Case rep.)

Prospective, randomized study of the efficacy of Mepitel on children with partial-thickness scalds (Gotschall et al). 1998;19:279-83
Silipos neck wraps (Nakamura et al). 1998;19:181-2
Treatment-resistant pain and distress during pediatric burn-dressing changes (Foertsch et al). 1998;19: 219-24
The Unna 'sleeve': an effective postoperative dressing for pediatric arm burns (Nakamura et al). 1998; 19:349-51

Barriers, architectural; *see* **Architectural accessibility**

Basement membrane
Reconstruction of basement membrane after 'sandwich-technique' skin grafting for severe burns demonstrated by immunohistochemistry (Horch et al). 1998;19:189-202

Beds
Sterilizing a Clinitron air-fluidized bed with colistine powder (Glicksman). 1998;19:245-6

Biobrane stent; *see* **Stents**

Biological dressings
"Out of the Strong Came Forth Sweetness": on the contribution of military conflicts to the development of burn treatment in Israel (Eldad). 1998; 19:470-9

Blood circulation
Lymph isolated from a regional scald injury produces a negative inotropic effect in dogs (Ferrara et al). 1998;19:296-304

Blood proteins
Efficacy of a rise in C-reactive protein serum levels as an early indicator of sepsis in burned children (Neely et al). 1998;19:102-5

Blood transfusion
Intraoperative blood salvage in excisional burn surgery: an analysis of yield, bacteriology, and inflammatory mediators (Jeng et al). 1998;19:305-11

Body fluid compartments
Purpura fulminans: a disease best managed in a burn center (Brown et al). 1998;19:119-23

Body image
Impact of disfiguring burn scars on adolescent sexual development (Robert et al). 1998;19:430-5

Body surface area
Titanium tetrachloride: an unusual agent with the potential to create severe burns (Paulsen et al). 1998;19:377-81

Body temperature
Calorigenic response of burned rats with adrenal medullectomies to catecholamines (Caldwell et al). 1998;19:106-14
Chronic indomethacin administration blocks increased body temperature after burn injury in rats (Caldwell et al). 1998;19:501-11

Body weight
Increased protein intake during the recovery phase after severe burns increases body weight gain and muscle function (Demling and DeSanti). 1998; 19:161-8

Bone transplantation
Management of massive calvarial exposure in young children (Sheridan et al). 1998;19:29-32

Bromine
In vitro analysis of bromine chemical burns with use of full-thickness human skin (Eliaz et al). 1998; 19:18-24

Burn units
Complete integration of inpatient and outpatient burn care: evolution of an outpatient burn clinic (Brandt et al). 1998;19:406-8
Determining the current roles of physical and occupational therapists in burn care (Biggs et al). 1998; 19:442-9
Development of a burn rehabilitation unit: impact on burn center length of stay and functional outcome (DeSanti et al). 1998;19:414-9
HIV seropositivity in a burn center's population (Mele et al). 1998;19:138-41
A new barrier-free burn center (Edlich et al). 1998; 19:390-8
Proceedings of the Physical and Occupational Therapy Special Interest Group meeting (Serghiou and Staley). 1998;19:147-50
Purpura fulminans: a disease best managed in a burn center (Brown et al). 1998;19:119-23

BurnWare©
Descriptive statistics: practical applications of the NATIONAL TRACS®/ABA Burn Registry (McDonald-Smith). 1998;19:261-4
Keeping on track with NATIONAL TRACS®/ABA Burn Registry (Allwood and Desmond). 1998; 19:66-72
Progress report: 1998 NATIONAL TRACS®/ABA Burn Registry and related activities (McDonald-Smith). 1998;19:354-7

C

C-reactive protein
Efficacy of a rise in C-reactive protein serum levels as an early indicator of sepsis in burned children (Neely et al). 1998;19:102-5

Cadaver
Comparison of glycerol preservation with cryopreservation methods on HIV-1 inactivation (van Baare et al). 1998;19:494-500

Caloric intake
Increased protein intake during the recovery phase after severe burns increases body weight gain and muscle function (Demling and DeSanti). 1998;19:161-8

Calorimetry
Calorigenic response of burned rats with adrenal medullectomies to catecholamines (Caldwell et al). 1998;19:106-14

Calvaria; *see* **Skull**
Capillary permeability
The role of interstitial Starling forces in the pathogenesis of burn edema (Kinsky et al). 1998;19:1-9
Capsaicin
Toxic effects of capsaicin on keratinocytes and fibroblasts (Ko et al). 1998;19:409-13
Carcinoma, squamous cell
Acute development of invasive squamous cell carcinoma in a split-thickness skin graft donor site (Taylor et al). 1998;19:382-5
Cardiac output
Lymph isolated from a regional scald injury produces a negative inotropic effect in dogs (Ferrara et al). 1998;19:296-304
Casting
Casting guidelines, tips, and techniques: proceedings from the 1997 American Burn Association PT/OT Casting Workshop (Staley and Serghiou). 1998; 19:254-60
Catalase
Recombinant human growth hormone decreases lung and liver tissue lipid peroxidation and increases antioxidant activity after thermal injury in rats (Youn et al). 1998;19:542-8
Catecholamines
Calorigenic response of burned rats with adrenal medullectomies to catecholamines (Caldwell et al). 1998;19:106-14
CD18; *see* **Antibodies, monoclonal**
Ceftriaxone
Antibiotic therapy determines subcutaneous *Escherichia coli* abscess formation after CD18 inhibition in rabbits (Talbott et al). 1998;19:284-91
Cell survival
A study of functional viability and metabolic degeneration of human skin stored at 4° C (Chang et al). 1998;19:25-8
Cells, cultured
Melanocytes in cultured epithelial grafts are depleted with serial subcultivation and cryopreservation: implications for clinical outcome (Compton et al). 1998;19:330-6
Cellulitis
Surveillance of burn wound infections: a proposal for definitions (Peck et al). 1998;19:386-9
Centers for Disease Control and Prevention (U.S.)
Surveillance of burn wound infections: a proposal for definitions (Peck et al). 1998;19:386-9
Cerebral palsy
Children with sensorimotor deficits: a special risk group (Ramirez et al). 1998;19:124-7
Chemical burns
In vitro analysis of bromine chemical burns with use of full-thickness human skin (Eliaz et al). 1998;19:18-24
"Out of the Strong Came Forth Sweetness": on the contribution of military conflicts to the development of burn treatment in Israel (Eldad). 1998; 19:470-9
Titanium tetrachloride: an unusual agent with the potential to create severe burns (Paulsen et al). 1998;19:377-81
Chemical warfare
"Out of the Strong Came Forth Sweetness": on the contribution of military conflicts to the development of burn treatment in Israel (Eldad). 1998; 19:470-9
Chest; *see* **Thorax**
Child
Are we making an impact? A review of a burn prevention program in Israeli schools (Shani and Rosenberg). 1998;19:82-6
Burn area color changes after superficial burns in childhood: can they be predicted? (de Chalain et al). 1998;19:39-49
Burns of children caused by electric stoves (Still et al). 1998;19:364-5
Children with sensorimotor deficits: a special risk group (Ramirez et al). 1998;19:124-7
Commentary: nutrition forum (Boosalis). 1998;19:73-4
A comparison of oral transmucosal fentanyl citrate and oral hydromorphone for inpatient pediatric burn wound care analgesia (Sharar et al). 1998;19:516-21
Efficacy of a rise in C-reactive protein serum levels as an early indicator of sepsis in burned children (Neely et al). 1998;19:102-5
Extracorporeal membrane oxygenation in the treatment of respiratory failure in pediatric patients with burns (Pierre et al). 1998;19:131-4
Hemolytic uremic syndrome in a child with burn injuries (Emil et al). 1998;19:135-7
Management of massive calvarial exposure in young children (Sheridan et al). 1998;19:29-32
Opiate-induced respiratory depression in young pediatric burn patients (Gibbons et al). 1998;19:225-9
Prospective, randomized study of the efficacy of Mepitel on children with partial-thickness scalds (Gotschall et al). 1998;19:279-83
A prospective analysis of serum vitamin K in severely burned pediatric patients (Jenkins et al). 1998; 19:75-81
Purpura fulminans: a disease best managed in a burn center (Brown et al). 1998;19:119-23
Rates of dysfunction in parents of pediatric patients with burns (Kendall-Grove et al). 1998;19:312-6
Reduction in mortality in pediatric patients with inhalation injury with aerosolized heparin/acetylcystine therapy (Desai et al). 1998;19:210-2
Treatment-resistant pain and distress during pediatric burn-dressing changes (Foertsch et al). 1998; 19:219-24
The Unna 'sleeve': an effective postoperative dressing for pediatric arm burns (Nakamura et al). 1998; 19:349-51

Child abuse
Profile of an abused burned child (Bennett and Gamelli). 1998;19:88-94
Return to jeopardy: the fate of pediatric burn patients who are victims of abuse and neglect (Hultman et al). 1998;19:367-76
Chloramphenicol
Alternate antimicrobial therapy for vancomycin-resistant enterococci burn wound infections (Heggers et al). 1998;19:399-403
Cicatrix
Impact of disfiguring burn scars on adolescent sexual development (Robert et al). 1998;19:430-5
Pilot study of a unique film dressing for the treatment of donor site wounds (Himel et al). 1998; 19:62-5 (Case rep.)
Reliability of photographic analysis in determining change in scar appearance (Crowe et al). 1998; 19:183-6
Silipos neck wraps (Nakamura et al). 1998;19:181-2
The use of sheet autografts to cover extensive burns in patients (Archer et al). 1998;19:33-8
Clinitron bed; *see* **Beds**
Clinical Research Award
Sleep disturbance after burn injury: a frequent yet understudied complication (Lawrence et al). 1998; 19:480-6
Colistine
Sterilizing a Clinitron air-fluidized bed with colistine powder (Glicksman). 1998;19:245-6
Color changes; *see* **Pigmentation**
Compound R
Effect of 'Compound R' on thermal burn and full-depth wound contracture in fuzzy rats (Noormohamed and Ray). 1998;19:213-5
Computers
Descriptive statistics: practical applications of the NATIONAL TRACS®/ABA Burn Registry (McDonald-Smith). 1998;19:261-4
Keeping on track with NATIONAL TRACS®/ABA Burn Registry (Allwood and Desmond). 1998;19:66-72
Modeling thermal skin burns on a personal computer (Diller). 1998;19:420-9
Progress report: 1998 NATIONAL TRACS®/ABA Burn Registry and related activities (McDonald-Smith). 1998;19:354-7
Continuity of patient care
Complete integration of inpatient and outpatient burn care: evolution of an outpatient burn clinic (Brandt et al). 1998;19:406-8
Contracture
Effect of 'Compound R' on thermal burn and full-depth wound contracture in fuzzy rats (Noormohamed and Ray). 1998;19:213-5
Silipos neck wraps (Nakamura et al). 1998;19:181-2
The use of sheet autografts to cover extensive burns in patients (Archer et al). 1998;19:33-8
Coordination; *see* **Psychomotor disorders**
Cornea
A retrospective study of the incidence and prevalence of thermal corneal injury in patients with burns (Boone et al). 1998;19:216-8
Coronary vessels
Lymph isolated from a regional scald injury produces a negative inotropic effect in dogs (Ferrara et al). 1998;19:296-304
Corrections
Children's sleepwear: relaxation of the Consumer Product Safety Commission's flammability standards (Cusick et al) (1997;18:469-76). 1998;19:267
Correspondence
Letters to the editor. 1998;19:187-8
Cosmetic outcome; *see* **Esthetics**
Cross infection
Alternate antimicrobial therapy for vancomycin-resistant enterococci burn wound infections (Heggers et al). 1998;19:399-403
Surveillance of burn wound infections: a proposal for definitions (Peck et al). 1998;19:386-9
Cryopreservation
Comparison of glycerol preservation with cryopreservation methods on HIV-1 inactivation (van Baare et al). 1998;19:494-500
Melanocytes in cultured epithelial grafts are depleted with serial subcultivation and cryopreservation: implications for clinical outcome (Compton et al). 1998;19:330-6
Cutaneous fistula
Traumatic urethral fistula in a patient with burns (Balakrishnan et al). 1998;19:57-8 (Case rep.)
Cysteine
Characteristics of thrombospondin-1 and its cysteine-serine-valine-threonine-cysteine-glycine receptor in burn wounds (Roth et al). 1998;19:487-93

D

Data analysis, statistical
Descriptive statistics: practical applications of the NATIONAL TRACS®/ABA Burn Registry (McDonald-Smith). 1998;19:261-4
Débridement
Management of massive calvarial exposure in young children (Sheridan et al). 1998;19:29-32
Delphi technique
Use of pain assessment tools: is there a preference? (Gordon et al). 1998;19:451-4
Depression
Burn injuries benefit from massage therapy (Field et al). 1998;19:241-4
Desiccation
Management of massive calvarial exposure in young children (Sheridan et al). 1998;19:29-32
Diet
Increased protein intake during the recovery phase

after severe burns increases body weight gain and muscle function (Demling and DeSanti). 1998; 19:161-8

Dihydromorphinone
A comparison of oral transmucosal fentanyl citrate and oral hydromorphone for inpatient pediatric burn wound care analgesia (Sharar et al). 1998; 19:516-21

Disabled
Children with sensorimotor deficits: a special risk group (Ramirez et al). 1998;19:124-7
A new barrier-free burn center (Edlich et al). 1998; 19:390-8

Disease susceptibility
Incorrect comparison relating test MICs and clear zone diameter by use of NAWD (Holder). 1998;19:187-8 (Letter)

Do-not-resuscitate orders; *see* **Resuscitation orders**

Dogs
Lymph isolated from a regional scald injury produces a negative inotropic effect in dogs (Ferrara et al). 1998;19:296-304

Dopamine
Hemolytic uremic syndrome in a child with burn injuries (Emil et al). 1998;19:135-7

Dressings; *see* **Bandages**

Drug resistance
Alternate antimicrobial therapy for vancomycin-resistant enterococci burn wound infections (Heggers et al). 1998;19:399-403
Incorrect comparison relating test MICs and clear zone diameter by use of NAWD (Holder). 1998;19:187-8 (Letter)

Drug toxicity
Toxic effects of capsaicin on keratinocytes and fibroblasts (Ko et al). 1998;19:409-13

E

Edema
Negative-pressure pulmonary edema with a patent airway (Engoren). 1998;19:317-20
The role of interstitial Starling forces in the pathogenesis of burn edema (Kinsky et al). 1998;19:1-9

Elastic bandages; *see* **Bandages**

Elder abuse
Elder abuse: a call to action (Bird et al). 1998;19:522-7

Elderly; *see* **Aged**

Electric burns
Burns of children caused by electric stoves (Still et al). 1998;19:364-5
Traumatic urethral fistula in a patient with burns (Balakrishnan et al). 1998;19:57-8 (Case rep.)

Electric injuries
Burns of children caused by electric stoves (Still et al). 1998;19:364-5
Traumatic urethral fistula in a patient with burns (Balakrishnan et al). 1998;19:57-8 (Case rep.)

Emotional stress; *see* **Stress, psychological**

Employment
Work status and attrition from longitudinal studies are influenced by psychiatric disorder (Fauerbach et al). 1998;19:248-52

Endothelial cells
Antibiotic therapy determines subcutaneous *Escherichia coli* abscess formation after CD18 inhibition in rabbits (Talbott et al). 1998;19:284-91
Characteristics of thrombospondin-1 and its cysteine-serine-valine-threonine-cysteine-glycine receptor in burn wounds (Roth et al). 1998;19:487-93

Endotoxins
Is the limulus amebocyte lysate the sole predictor of septic episodes in major thermal injuries? (Heggers et al). 1998;19:512-5

Enterobacteriaceae
Is the limulus amebocyte lysate the sole predictor of septic episodes in major thermal injuries? (Heggers et al). 1998;19:512-5

Enterococcus
Alternate antimicrobial therapy for vancomycin-resistant enterococci burn wound infections (Heggers et al). 1998;19:399-403

Enzyme activation
A study of functional viability and metabolic degeneration of human skin stored at 4° C (Chang et al). 1998;19:25-8

Epidermal growth factor
Acceleration of partial-thickness burn wound healing with topical application of heparin-binding EGF-like growth factor (HB-EGF) (Cribbs et al). 1998;19:95-101

Epidermal necrolysis, toxic
Case report: oxaprozin and fatal toxic epidermal necrolysis (Paul et al). 1998;19:321-3

Epidermis
In vitro analysis of bromine chemical burns with use of full-thickness human skin (Eliaz et al). 1998; 19:18-24

Epidural analgesia; *see* **Analgesia**

Epinephrine
Calorigenic response of burned rats with adrenal medullectomies to catecholamines (Caldwell et al). 1998;19:106-14

Epithelial cells
Autotransplantation of epithelial cells in the pig via an aerosol vehicle (Fraulin et al). 1998;19:337-45

Epithelium
Melting graft–wound syndrome (Matsumura et al). 1998;19:292-5

Equipment contamination
Sterilizing a Clinitron air-fluidized bed with colistine powder (Glicksman). 1998;19:245-6

Equipment injuries
Hot-press hand burn treatment (Celikoz et al). 1998;19:128-30

Escherichia coli
Antibiotic therapy determines subcutaneous *Escherichia coli* abscess formation after CD18 inhibition in rabbits (Talbott et al). 1998;19:284-91
Hemolytic uremic syndrome in a child with burn injuries (Emil et al). 1998;19:135-7
Esthetics
On an island by myself: women of color with facial distinctions (Solomon). 1998;19:268-78
Changing faces: taking up Macgregor's challenge (Partridge). 1998;19:174-80
Pilot study of a unique film dressing for the treatment of donor site wounds (Himel et al). 1998;19:62-5 (Case rep.)
Rehabilitation challenges for burn survivors with residual disfigurement: promising directions for intervention, research, and collaboration (Pruzinsky). 1998;19:169-73
Silipos neck wraps (Nakamura et al). 1998;19:181-2
Evans Memorial Lecture
"Out of the Strong Came Forth Sweetness": on the contribution of military conflicts to the development of burn treatment in Israel (Eldad). 1998;19:470-9
Extracellular space
The role of interstitial Starling forces in the pathogenesis of burn edema (Kinsky et al). 1998;19:1-9

F

Face
On an island by myself: women of color with facial distinctions (Solomon). 1998;19:268-78
Changing faces: taking up Macgregor's challenge (Partridge). 1998;19:174-80
Rehabilitation challenges for burn survivors with residual disfigurement: promising directions for intervention, research, and collaboration (Pruzinsky). 1998;19:169-73
The use of sheet autografts to cover extensive burns in patients (Archer et al). 1998;19:33-8
Facility access; *see* Architectural accessibility
Family
Profile of an abused burned child (Bennett and Gamelli). 1998;19:88-94
Rates of dysfunction in parents of pediatric patients with burns (Kendall-Grove et al). 1998;19:312-6
Fasciotomy
Purpura fulminans: a disease best managed in a burn center (Brown et al). 1998;19:119-23
Fatal outcome
Case report: oxaprozin and fatal toxic epidermal necrolysis (Paul et al). 1998;19:321-3
Purpura fulminans: a disease best managed in a burn center (Brown et al). 1998;19:119-23
Fentanyl
A comparison of oral transmucosal fentanyl citrate and oral hydromorphone for inpatient pediatric burn wound care analgesia (Sharar et al). 1998;19:516-21
Fever
Chronic indomethacin administration blocks increased body temperature after burn injury in rats (Caldwell et al). 1998;19:501-11
Fibroblasts
Characteristics of thrombospondin-1 and its cysteine-serine-valine-threonine-cysteine-glycine receptor in burn wounds (Roth et al). 1998;19:487-93
Toxic effects of capsaicin on keratinocytes and fibroblasts (Ko et al). 1998;19:409-13
Fires
The mechanisms, intensity of treatment, and outcomes of hospitalized burns: issues for prevention (Forjuoh). 1998;19:456-60
Fireworks
State study of pyrotechnics-related injuries and property damage (Grant et al). 1998;19:265-7
Fistula
Traumatic urethral fistula in a patient with burns (Balakrishnan et al). 1998;19:57-8 (Case rep.)
Fluid therapy
The role of interstitial Starling forces in the pathogenesis of burn edema (Kinsky et al). 1998;19:1-9
Foot
Continuous infusion of epidural morphine in frostbite (Punja et al). 1998;19:142-5 (Case rep.)
Forms and records control
Keeping on track with NATIONAL TRACS®/ABA Burn Registry (Allwood and Desmond). 1998;19:66-72
Friction burns
Burn area color changes after superficial burns in childhood: can they be predicted? (de Chalain et al). 1998;19:39-49
Frostbite
Continuous infusion of epidural morphine in frostbite (Punja et al). 1998;19:142-5 (Case rep.)
Fungal infections
Is the limulus amebocyte lysate the sole predictor of septic episodes in major thermal injuries? (Heggers et al). 1998;19:512-5

G

Gait; *see* Psychomotor disorders
Gentamicins
Alternate antimicrobial therapy for vancomycin-resistant enterococci burn wound infections (Heggers et al). 1998;19:399-403
Glutathione
Recombinant human growth hormone decreases lung and liver tissue lipid peroxidation and increases antioxidant activity after thermal injury in rats (Youn et al). 1998;19:542-8
Glycerin
Comparison of glycerol preservation with cryopreser-

vation methods on HIV-1 inactivation (van Baare et al). 1998;19:494-500

Glycerol; *see* **Glycerin**

Glycine

Characteristics of thrombospondin-1 and its cysteine-serine-valine-threonine-cysteine-glycine receptor in burn wounds (Roth et al). 1998;19:487-93

Glycoproteins

Characteristics of thrombospondin-1 and its cysteine-serine-valine-threonine-cysteine-glycine receptor in burn wounds (Roth et al). 1998;19:487-93

Graft survival

Melting graft–wound syndrome (Matsumura et al). 1998;19:292-5

A study of functional viability and metabolic degeneration of human skin stored at 4° C (Chang et al). 1998;19:25-8

Granulation tissue

Management of massive calvarial exposure in young children (Sheridan et al). 1998;19:29-32

Growth substances

Acceleration of partial-thickness burn wound healing with topical application of heparin-binding EGF-like growth factor (HB-EGF) (Cribbs et al). 1998;19:95-101

Characteristics of thrombospondin-1 and its cysteine-serine-valine-threonine-cysteine-glycine receptor in burn wounds (Roth et al). 1998;19:487-93

Recombinant human growth hormone decreases lung and liver tissue lipid peroxidation and increases antioxidant activity after thermal injury in rats (Youn et al). 1998;19:542-8

H

Hand

Hot-press hand burn treatment (Celikoz et al). 1998;19:128-30

The use of sheet autografts to cover extensive burns in patients (Archer et al). 1998;19:33-8

Handicapped; *see* **Disabled**

Health promotion

Are we making an impact? A review of a burn prevention program in Israeli schools (Shani and Rosenberg). 1998;19:82-6

Health services accessibility

A new barrier-free burn center (Edlich et al). 1998; 19:390-8

Hematuria

Hemolytic uremic syndrome in a child with burn injuries (Emil et al). 1998;19:135-7

Hemolytic uremic syndrome

Hemolytic uremic syndrome in a child with burn injuries (Emil et al). 1998;19:135-7

Hemorrhage

Intraoperative blood salvage in excisional burn surgery: an analysis of yield, bacteriology, and inflammatory mediators (Jeng et al). 1998;19:305-11

Heparin

Acceleration of partial-thickness burn wound healing with topical application of heparin-binding EGF-like growth factor (HB-EGF) (Cribbs et al). 1998;19:95-101

Reduction in mortality in pediatric patients with inhalation injury with aerosolized heparin/acetylcystine therapy (Desai et al). 1998;19:210-2

HIV-1

Comparison of glycerol preservation with cryopreservation methods on HIV-1 inactivation (van Baare et al). 1998;19:494-500

HIV seropositivity

HIV seropositivity in a burn center's population (Mele et al). 1998;19:138-41

Hospitalization

The mechanisms, intensity of treatment, and outcomes of hospitalized burns: issues for prevention (Forjuoh). 1998;19:456-60

Hydrochloric acid

Titanium tetrachloride: an unusual agent with the potential to create severe burns (Paulsen et al). 1998;19:377-81

Hydromorphone; *see* **Dihydromorphinone**

Hydrostatic pressure

The role of interstitial Starling forces in the pathogenesis of burn edema (Kinsky et al). 1998;19:1-9

Hyperpigmentation

Burn area color changes after superficial burns in childhood: can they be predicted? (de Chalain et al). 1998;19:39-49

Hypnotics and sedatives

A comparison of oral transmucosal fentanyl citrate and oral hydromorphone for inpatient pediatric burn wound care analgesia (Sharar et al). 1998; 19:516-21

I

In vitro analysis

In vitro analysis of bromine chemical burns with use of full-thickness human skin (Eliaz et al). 1998; 19:18-24

Immunohistochemistry

Cutaneous nerve distribution in adult rat hairy skin after thermal injury—an immunohistochemical study (Ward et al). 1998;19:10-7

Reconstruction of basement membrane after 'sandwich-technique' skin grafting for severe burns demonstrated by immunohistochemistry (Horch et al). 1998;19:189-202

Impetigo

Surveillance of burn wound infections: a proposal for definitions (Peck et al). 1998;19:386-9

Indomethacin

Chronic indomethacin administration blocks increased body temperature after burn injury in rats (Caldwell et al). 1998;19:501-11

Infant
Reduction in mortality in pediatric patients with inhalation injury with aerosolized heparin/acetylcystine therapy (Desai et al). 1998;19:210-2
Treatment of the seriously burned infant (Sheridan et al). 1998;19:115-8
Infection
Antibiotic therapy determines subcutaneous *Escherichia coli* abscess formation after CD18 inhibition in rabbits (Talbott et al). 1998;19:284-91
Efficacy of a rise in C-reactive protein serum levels as an early indicator of sepsis in burned children (Neely et al). 1998;19:102-5
Is the limulus amebocyte lysate the sole predictor of septic episodes in major thermal injuries? (Heggers et al). 1998;19:512-5
A matched-pair, randomized study evaluating the efficacy and safety of Acticoat silver-coated dressing for the treatment of burn wounds (Tredget et al). 1998;19:531-7
Melting graft–wound syndrome (Matsumura et al). 1998;19:292-5
Prospective, randomized study of the efficacy of Mepitel on children with partial-thickness scalds (Gotschall et al). 1998;19:279-83
Inflammation
Characteristics of thrombospondin-1 and its cysteine-serine-valine-threonine-cysteine-glycine receptor in burn wounds (Roth et al). 1998;19:487-93
Intraoperative blood salvage in excisional burn surgery: an analysis of yield, bacteriology, and inflammatory mediators (Jeng et al). 1998;19:305-11
Information systems
Descriptive statistics: practical applications of the NATIONAL TRACS®/ABA Burn Registry (McDonald-Smith). 1998;19:261-4
Keeping on track with NATIONAL TRACS®/ABA Burn Registry (Allwood and Desmond). 1998;19:66-72
Infusions, intravenous
Local anesthetics improve dermal perfusion after burn injury (Jönsson et al). 1998;19:50-6
Infusions, parenteral
Continuous infusion of epidural morphine in frostbite (Punja et al). 1998;19:142-5 (Case rep.)
Incorrect comparison relating test MICs and clear zone diameter by use of NAWD (Holder). 1998;19:187-8 (Letter)
Inhalation injury
Extracorporeal membrane oxygenation in the treatment of respiratory failure in pediatric patients with burns (Pierre et al). 1998;19:131-4
Negative-pressure pulmonary edema with a patent airway (Engoren). 1998;19:317-20
Reduction in mortality in pediatric patients with inhalation injury with aerosolized heparin/acetylcystine therapy (Desai et al). 1998;19:210-2
Inotropism, cardiac; *see* **Myocardial contraction**
Inpatients
A comparison of oral transmucosal fentanyl citrate and oral hydromorphone for inpatient pediatric burn wound care analgesia (Sharar et al). 1998;19:516-21
Complete integration of inpatient and outpatient burn care: evolution of an outpatient burn clinic (Brandt et al). 1998;19:406-8
Instability; *see* **Psychomotor disorders**
Integra Artificial Skin; *see* **Skin, artificial**
Interstitial fluid; *see* **Extracellular space**
Intraoperative period
Intraoperative blood salvage in excisional burn surgery: an analysis of yield, bacteriology, and inflammatory mediators (Jeng et al). 1998;19:305-11
Intravenous infusion; *see* **Infusions, intravenous**
Israel
Are we making an impact? A review of a burn prevention program in Israeli schools (Shani and Rosenberg). 1998;19:82-6
"Out of the Strong Came Forth Sweetness": on the contribution of military conflicts to the development of burn treatment in Israel (Eldad). 1998;19:470-9

K

Keratinocytes
Acceleration of partial-thickness burn wound healing with topical application of heparin-binding EGF-like growth factor (HB-EGF) (Cribbs et al). 1998;19:95-101
Toxic effects of capsaicin on keratinocytes and fibroblasts (Ko et al). 1998;19:409-13
Keratoacanthoma
Acute development of invasive squamous cell carcinoma in a split-thickness skin graft donor site (Taylor et al). 1998;19:382-5
Kidney failure
Hemolytic uremic syndrome in a child with burn injuries (Emil et al). 1998;19:135-7
Klebsiella pneumoniae
Is the limulus amebocyte lysate the sole predictor of septic episodes in major thermal injuries? (Heggers et al). 1998;19:512-5

L

Lectures
"Out of the Strong Came Forth Sweetness": on the contribution of military conflicts to the development of burn treatment in Israel (Eldad). 1998;19:470-9
Leg
Continuous infusion of epidural morphine in frostbite (Punja et al). 1998;19:142-5 (Case rep.)
Length of stay
Development of a burn rehabilitation unit: impact on burn center length of stay and functional outcome (DeSanti et al). 1998;19:414-9

Letters
Letters to the editor. 1998;19:187-8
Leukocytes, polymorphonuclear; *see* Neutrophils
Lidocaine
Local anesthetics improve dermal perfusion after burn injury (Jönsson et al). 1998;19:50-6
Limulus amebocyte lysate assay
Is the limulus amebocyte lysate the sole predictor of septic episodes in major thermal injuries? (Heggers et al). 1998;19:512-5
Lindberg Award
Comparison of glycerol preservation with cryopreservation methods on HIV-1 inactivation (van Baare et al). 1998;19:494-500
Lipid peroxidation
Recombinant human growth hormone decreases lung and liver tissue lipid peroxidation and increases antioxidant activity after thermal injury in rats (Youn et al). 1998;19:542-8
Lipopolysaccharides
Is the limulus amebocyte lysate the sole predictor of septic episodes in major thermal injuries? (Heggers et al). 1998;19:512-5
Literature
Posttraumatic stress disorder in burn populations: a critical review of the literature (Baur et al). 1998; 19:230-40
Liver
Recombinant human growth hormone decreases lung and liver tissue lipid peroxidation and increases antioxidant activity after thermal injury in rats (Youn et al). 1998;19:542-8
Lung
Recombinant human growth hormone decreases lung and liver tissue lipid peroxidation and increases antioxidant activity after thermal injury in rats (Youn et al). 1998;19:542-8
Lymph
Lymph isolated from a regional scald injury produces a negative inotropic effect in dogs (Ferrara et al). 1998;19:296-304

M

Macgregor, Frances Cooke
Changing faces: taking up Macgregor's challenge (Partridge). 1998;19:174-80
Macrophages
Characteristics of thrombospondin-1 and its cysteine-serine-valine-threonine-cysteine-glycine receptor in burn wounds (Roth et al). 1998;19:487-93
Maltreatment; *see* Child abuse; Elder abuse
Massage
Burn injuries benefit from massage therapy (Field et al). 1998;19:241-4
Mechanical ventilation; *see* Respiration, artificial
Melanocytes
Melanocytes in cultured epithelial grafts are depleted with serial subcultivation and cryopreservation: implications for clinical outcome (Compton et al). 1998;19:330-6
Melanoma
Acute development of invasive squamous cell carcinoma in a split-thickness skin graft donor site (Taylor et al). 1998;19:382-5
Melting graft–wound syndrome
Melting graft–wound syndrome (Matsumura et al). 1998;19:292-5
Membrane glycoproteins
Characteristics of thrombospondin-1 and its cysteine-serine-valine-threonine-cysteine-glycine receptor in burn wounds (Roth et al). 1998;19:487-93
Mental retardation
Children with sensorimotor deficits: a special risk group (Ramirez et al). 1998;19:124-7
Mepitel
Prospective, randomized study of the efficacy of Mepitel on children with partial-thickness scalds (Gotschall et al). 1998;19:279-83
Metabolism
Calorigenic response of burned rats with adrenal medullectomies to catecholamines (Caldwell et al). 1998;19:106-14
A study of functional viability and metabolic degeneration of human skin stored at 4° C (Chang et al). 1998;19:25-8
Mice, nude
A study of functional viability and metabolic degeneration of human skin stored at 4° C (Chang et al). 1998;19:25-8
Military medicine
"Out of the Strong Came Forth Sweetness": on the contribution of military conflicts to the development of burn treatment in Israel (Eldad). 1998; 19:470-9
Minority groups
On an island by myself: women of color with facial distinctions (Solomon). 1998;19:268-78
Models, biological
A study of functional viability and metabolic degeneration of human skin stored at 4° C (Chang et al). 1998;19:25-8
Models, theoretical
Modeling thermal skin burns on a personal computer (Diller). 1998;19:420-9
Morphine
Continuous infusion of epidural morphine in frostbite (Punja et al). 1998;19:142-5 (Case rep.)
Mortality
Purpura fulminans: a disease best managed in a burn center (Brown et al). 1998;19:119-23
Reduction in mortality in pediatric patients with inhalation injury with aerosolized heparin/acetylcystine therapy (Desai et al). 1998;19:210-2
Motor deficits; *see* Psychomotor disorders

Moyer Award
Characteristics of thrombospondin-1 and its cysteine-serine-valine-threonine-cysteine-glycine receptor in burn wounds (Roth et al). 1998;19:487-93
Muscles
Increased protein intake during the recovery phase after severe burns increases body weight gain and muscle function (Demling and DeSanti). 1998;19:161-8
Myocardial contraction
Lymph isolated from a regional scald injury produces a negative inotropic effect in dogs (Ferrara et al). 1998;19:296-304

N

Narcotics
Continuous infusion of epidural morphine in frostbite (Punja et al). 1998;19:142-5 (Case rep.)
Opiate-induced respiratory depression in young pediatric burn patients (Gibbons et al). 1998;19:225-9
Nathans Agar Well Diffusion assay
Incorrect comparison relating test MICs and clear zone diameter by use of NAWD (Holder). 1998;19:187-8 (Letter)
NATIONAL TRACS®/ABA Burn Registry
Descriptive statistics: practical applications of the NATIONAL TRACS®/ABA Burn Registry (McDonald-Smith). 1998;19:261-4
Keeping on track with NATIONAL TRACS®/ABA Burn Registry (Allwood and Desmond). 1998; 19:66-72
Progress report: 1998 NATIONAL TRACS®/ABA Burn Registry and related activities (McDonald-Smith). 1998;19:354-7
Nebulizers and vaporizers
Reduction in mortality in pediatric patients with inhalation injury with aerosolized heparin/acetylcystine therapy (Desai et al). 1998;19:210-2
Neck
Silipos neck wraps (Nakamura et al). 1998;19:181-2
The use of sheet autografts to cover extensive burns in patients (Archer et al). 1998;19:33-8
Neglect; *see* **Child abuse; Elder abuse**
Neoplasm invasiveness
Acute development of invasive squamous cell carcinoma in a split-thickness skin graft donor site (Taylor et al). 1998;19:382-5
Neoplasm metastasis
Acute development of invasive squamous cell carcinoma in a split-thickness skin graft donor site (Taylor et al). 1998;19:382-5
Neovascularization
Characteristics of thrombospondin-1 and its cysteine-serine-valine-threonine-cysteine-glycine receptor in burn wounds (Roth et al). 1998;19:487-93
Nerve block
Continuous infusion of epidural morphine in frostbite (Punja et al). 1998;19:142-5 (Case rep.)
Nerve regeneration
Cutaneous nerve distribution in adult rat hairy skin after thermal injury—an immunohistochemical study (Ward et al). 1998;19:10-7
Neutrophils
Antibiotic therapy determines subcutaneous *Escherichia coli* abscess formation after CD18 inhibition in rabbits (Talbott et al). 1998;19:284-91
Norepinephrine
Calorigenic response of burned rats with adrenal medullectomies to catecholamines (Caldwell et al). 1998;19:106-14
Nosocomial infections; *see* **Cross infection**
Numerical analysis, computer-assisted
Modeling thermal skin burns on a personal computer (Diller). 1998;19:420-9
Nutrition
Commentary: nutrition forum (Boosalis). 1998;19:73-4
Increased protein intake during the recovery phase after severe burns increases body weight gain and muscle function (Demling and DeSanti). 1998;19:161-8
A prospective analysis of serum vitamin K in severely burned pediatric patients (Jenkins et al). 1998; 19:75-81

O

Occupational injuries
Hot-press hand burn treatment (Celikoz et al). 1998;19:128-30
Titanium tetrachloride: an unusual agent with the potential to create severe burns (Paulsen et al). 1998;19:377-81
Occupational therapy
Casting guidelines, tips, and techniques: proceedings from the 1997 American Burn Association PT/OT Casting Workshop (Staley and Serghiou). 1998; 19:254-60
Determining the current roles of physical and occupational therapists in burn care (Biggs et al). 1998; 19:442-9
Proceedings of the Physical and Occupational Therapy Special Interest Group meeting (Serghiou and Staley). 1998;19:147-50
Reliability of photographic analysis in determining change in scar appearance (Crowe et al). 1998; 19:183-6
Oliguria
Hemolytic uremic syndrome in a child with burn injuries (Emil et al). 1998;19:135-7
Operating rooms
Perioperative and postoperative dressing techniques for Integra Artificial Skin: views from two medical centers (Clayton and Bishop). 1998;19:358-63
Opiates; *see* **Narcotics**
Oral administration; *see* **Administration, oral**
Organ preservation
Comparison of glycerol preservation with cryopreser-

vation methods on HIV-1 inactivation (van Baare et al). 1998;19:494-500

Melanocytes in cultured epithelial grafts are depleted with serial subcultivation and cryopreservation: implications for clinical outcome (Compton et al). 1998;19:330-6

A study of functional viability and metabolic degeneration of human skin stored at 4° C (Chang et al). 1998;19:25-8

Outcome assessment

Acellular allodermis in burn surgery: 1-year results of a pilot trial (Sheridan et al). 1998;19:528-30

Development of a burn rehabilitation unit: impact on burn center length of stay and functional outcome (DeSanti et al). 1998;19:414-9

The mechanisms, intensity of treatment, and outcomes of hospitalized burns: issues for prevention (Forjuoh). 1998;19:456-60

Melanocytes in cultured epithelial grafts are depleted with serial subcultivation and cryopreservation: implications for clinical outcome (Compton et al). 1998;19:330-6

Purpura fulminans: a disease best managed in a burn center (Brown et al). 1998;19:119-23

Outpatient care; *see* Ambulatory care

Oxaprozin

Case report: oxaprozin and fatal toxic epidermal necrolysis (Paul et al). 1998;19:321-3

P

Pain

Burn injuries benefit from massage therapy (Field et al). 1998;19:241-4

Burn pain management: a guideline-based approach (Ulmer). 1998;19:151-9

A comparison of oral transmucosal fentanyl citrate and oral hydromorphone for inpatient pediatric burn wound care analgesia (Sharar et al). 1998;19:516-21

Continuous infusion of epidural morphine in frostbite (Punja et al). 1998;19:142-5 (Case rep.)

A matched-pair, randomized study evaluating the efficacy and safety of Acticoat silver-coated dressing for the treatment of burn wounds (Tredget et al). 1998;19:531-7

Pilot study of a unique film dressing for the treatment of donor site wounds (Himel et al). 1998;19:62-5 (Case rep.)

Prospective, randomized study of the efficacy of Mepitel on children with partial-thickness scalds (Gotschall et al). 1998;19:279-83

Treatment-resistant pain and distress during pediatric burn-dressing changes (Foertsch et al). 1998; 19:219-24

Pain measurement

Use of pain assessment tools: is there a preference? (Gordon et al). 1998;19:451-4

Parenteral infusion; *see* Infusions, parenteral

Parents

Profile of an abused burned child (Bennett and Gamelli). 1998;19:88-94

Rates of dysfunction in parents of pediatric patients with burns (Kendall-Grove et al). 1998;19:312-6

Patient care team

Determining the current roles of physical and occupational therapists in burn care (Biggs et al). 1998;19:442-9

HIV seropositivity in a burn center's population (Mele et al). 1998;19:138-41

Patient transfer

Purpura fulminans: a disease best managed in a burn center (Brown et al). 1998;19:119-23

Patients' rooms

A new barrier-free burn center (Edlich et al). 1998; 19:390-8

Perfusion

Extracorporeal membrane oxygenation in the treatment of respiratory failure in pediatric patients with burns (Pierre et al). 1998;19:131-4

Local anesthetics improve dermal perfusion after burn injury (Jönsson et al). 1998;19:50-6

Perineum

Traumatic urethral fistula in a patient with burns (Balakrishnan et al). 1998;19:57-8 (Case rep.)

Photography

Reliability of photographic analysis in determining change in scar appearance (Crowe et al). 1998; 19:183-6

Physical therapy

Casting guidelines, tips, and techniques: proceedings from the 1997 American Burn Association PT/OT Casting Workshop (Staley and Serghiou). 1998; 19:254-60

Determining the current roles of physical and occupational therapists in burn care (Biggs et al). 1998;19:442-9

Proceedings of the Physical and Occupational Therapy Special Interest Group meeting (Serghiou and Staley). 1998;19:147-50

Reliability of photographic analysis in determining change in scar appearance (Crowe et al). 1998;19:183-6

Pigmentation

Burn area color changes after superficial burns in childhood: can they be predicted? (de Chalain et al). 1998;19:39-49

Pigs; *see* Swine

Planning techniques

The ABA at 30: a SWOT analysis (Deitch). 1998; 19:462-9

Platelet adhesiveness

Characteristics of thrombospondin-1 and its cysteine-serine-valine-threonine-cysteine-glycine receptor in burn wounds (Roth et al). 1998;19:487-93

Pneumoperitoneum

Pneumoperitoneum-assisted harvesting of split-

thickness skin grafts from the abdomen (Soran et al). 1998;19:404-5

Polymorphonuclear leukocytes; *see* Neutrophils

Porcine; *see* Swine

Postoperative care

Perioperative and postoperative dressing techniques for Integra Artificial Skin: views from two medical centers (Clayton and Bishop). 1998;19:358-63

The Unna 'sleeve': an effective postoperative dressing for pediatric arm burns (Nakamura et al). 1998; 19:349-51

Practice guidelines

Burn pain management: a guideline-based approach (Ulmer). 1998;19:151-9

Casting guidelines, tips, and techniques: proceedings from the 1997 American Burn Association PT/OT Casting Workshop (Staley and Serghiou). 1998; 19:254-60

Presidential address

The ABA at 30: a SWOT analysis (Deitch). 1998;19:462-9

Prevention and control

Are we making an impact? A review of a burn prevention program in Israeli schools (Shani and Rosenberg). 1998;19:82-6

Burns of children caused by electric stoves (Still et al). 1998;19:364-5

Children with sensorimotor deficits: a special risk group (Ramirez et al). 1998;19:124-7

The mechanisms, intensity of treatment, and outcomes of hospitalized burns: issues for prevention (Forjuoh). 1998;19:456-60

State study of pyrotechnics-related injuries and property damage (Grant et al). 1998;19:265-7

Prilocaine

Local anesthetics improve dermal perfusion after burn injury (Jönsson et al). 1998;19:50-6

Protein hydrolysates

Increased protein intake during the recovery phase after severe burns increases body weight gain and muscle function (Demling and DeSanti). 1998;19:161-8

Pseudomonas aeruginosa

Is the limulus amebocyte lysate the sole predictor of septic episodes in major thermal injuries? (Heggers et al). 1998;19:512-5

Psychomotor disorders

Children with sensorimotor deficits: a special risk group (Ramirez et al). 1998;19:124-7

Psychosexual development

Impact of disfiguring burn scars on adolescent sexual development (Robert et al). 1998;19:430-5

Psychosocial support; *see* Social support

Pulmonary edema

Negative-pressure pulmonary edema with a patent airway (Engoren). 1998;19:317-20

Pulmonary failure; *see* Respiratory insufficiency

Purpura

Integra Artificial Skin as a useful adjunct in the treatment of purpura fulminans (Besner and Klamar). 1998;19:324-9

Purpura fulminans: a disease best managed in a burn center (Brown et al). 1998;19:119-23

Pyrotechnics

State study of pyrotechnics-related injuries and property damage (Grant et al). 1998;19:265-7

Q

Quality of health care

Complete integration of inpatient and outpatient burn care: evolution of an outpatient burn clinic (Brandt et al). 1998;19:406-8

Questionnaires

Nurses' attitudes toward do-not-resuscitate orders (Purvis et al). 1998;19:538-41

Quota system

The quota system in burn rehabilitation (Ehde et al). 1998;19:436-40

R

Rabbits

Antibiotic therapy determines subcutaneous *Escherichia coli* abscess formation after CD18 inhibition in rabbits (Talbott et al). 1998;19:284-91

Range of motion

Silipos neck wraps (Nakamura et al). 1998;19:181-2

Rats

Calorigenic response of burned rats with adrenal medullectomies to catecholamines (Caldwell et al). 1998;19:106-14

Chronic indomethacin administration blocks increased body temperature after burn injury in rats (Caldwell et al). 1998;19:501-11

Cutaneous nerve distribution in adult rat hairy skin after thermal injury—an immunohistochemical study (Ward et al). 1998;19:10-7

Effect of 'Compound R' on thermal burn and full-depth wound contracture in fuzzy rats (Noormohamed and Ray). 1998;19:213-5

Local anesthetics improve dermal perfusion after burn injury (Jönsson et al). 1998;19:50-6

Recombinant human growth hormone decreases lung and liver tissue lipid peroxidation and increases antioxidant activity after thermal injury in rats (Youn et al). 1998;19:542-8

Recombinant proteins

Recombinant human growth hormone decreases lung and liver tissue lipid peroxidation and increases antioxidant activity after thermal injury in rats (Youn et al). 1998;19:542-8

Registries

Descriptive statistics: practical applications of the NATIONAL TRACS®/ABA Burn Registry (McDonald-Smith). 1998;19:261-4

Keeping on track with NATIONAL TRACS®/ABA Burn Registry (Allwood and Desmond). 1998;19:66-72

Progress report: 1998 NATIONAL TRACS®/ABA Burn Registry and related activities (McDonald-Smith). 1998;19:354-7

Rehabilitation

Changing faces: taking up Macgregor's challenge (Partridge). 1998;19:174-80

Development of a burn rehabilitation unit: impact on burn center length of stay and functional outcome (DeSanti et al). 1998;19:414-9

Posttraumatic stress disorder in burn populations: a critical review of the literature (Baur et al). 1998; 19:230-40

The quota system in burn rehabilitation (Ehde et al). 1998;19:436-40

Rehabilitation challenges for burn survivors with residual disfigurement: promising directions for intervention, research, and collaboration (Pruzinsky). 1998;19:169-73

Work status and attrition from longitudinal studies are influenced by psychiatric disorder (Fauerbach et al). 1998;19:248-52

Reliability, test; *see* **Reproducibility of results**

Renal failure; *see* **Kidney failure**

Reperfusion injury

Extracorporeal membrane oxygenation in the treatment of respiratory failure in pediatric patients with burns (Pierre et al). 1998;19:131-4

Reproducibility of results

Reliability of photographic analysis in determining change in scar appearance (Crowe et al). 1998;19:183-6

Research

Local anesthetics improve dermal perfusion after burn injury (Jönsson et al). 1998;19:50-6

Respiration, artificial

Extracorporeal membrane oxygenation in the treatment of respiratory failure in pediatric patients with burns (Pierre et al). 1998;19:131-4

Respiratory insufficiency

Extracorporeal membrane oxygenation in the treatment of respiratory failure in pediatric patients with burns (Pierre et al). 1998;19:131-4

Opiate-induced respiratory depression in young pediatric burn patients (Gibbons et al). 1998;19:225-9

Reduction in mortality in pediatric patients with inhalation injury with aerosolized heparin/acetylcystine therapy (Desai et al). 1998;19:210-2

Resuscitation

Base deficit as an indicator of resuscitation needs in patients with burn injuries (Kaups et al). 1998; 19:346-8

The role of interstitial Starling forces in the pathogenesis of burn edema (Kinsky et al). 1998;19:1-9

Resuscitation orders

Nurses' attitudes toward do-not-resuscitate orders (Purvis et al). 1998;19:538-41

Review literature

Posttraumatic stress disorder in burn populations: a critical review of the literature (Baur et al). 1998; 19:230-40

Risk factors

Children with sensorimotor deficits: a special risk group (Ramirez et al). 1998;19:124-7

Profile of an abused burned child (Bennett and Gamelli). 1998;19:88-94

RNA, messenger

Acceleration of partial-thickness burn wound healing with topical application of heparin-binding EGF-like growth factor (HB-EGF) (Cribbs et al). 1998;19:95-101

S

Safety

A matched-pair, randomized study evaluating the efficacy and safety of Acticoat silver-coated dressing for the treatment of burn wounds (Tredget et al). 1998;19:531-7

Salvage therapy

Intraoperative blood salvage in excisional burn surgery: an analysis of yield, bacteriology, and inflammatory mediators (Jeng et al). 1998; 19:305-11

Sandwich technique; *see* **Skin transplantation**

Scalds

Are we making an impact? A review of a burn prevention program in Israeli schools (Shani and Rosenberg). 1998;19:82-6

Burn area color changes after superficial burns in childhood: can they be predicted? (de Chalain et al). 1998;19:39-49

Lymph isolated from a regional scald injury produces a negative inotropic effect in dogs (Ferrara et al). 1998;19:296-304

Profile of an abused burned child (Bennett and Gamelli). 1998;19:88-94

Prospective, randomized study of the efficacy of Mepitel on children with partial-thickness scalds (Gotschall et al). 1998;19:279-83

Scars; *see* **Cicatrix**

Seizures

Children with sensorimotor deficits: a special risk group (Ramirez et al). 1998;19:124-7

Sensorimotor deficits; *see* **Psychomotor disorders**

Sepsis

Efficacy of a rise in C-reactive protein serum levels as an early indicator of sepsis in burned children (Neely et al). 1998;19:102-5

Is the limulus amebocyte lysate the sole predictor of septic episodes in major thermal injuries? (Heggers et al). 1998;19:512-5

Serine

Characteristics of thrombospondin-1 and its cysteine-serine-valine-threonine-cysteine-glycine receptor in burn wounds (Roth et al). 1998;19:487-93

Serum proteins; *see* **Blood proteins**

Sex behavior
Impact of disfiguring burn scars on adolescent sexual development (Robert et al). 1998;19:430-5
Sheet autograft; *see* Transplantation, autologous
Shock
Base deficit as an indicator of resuscitation needs in patients with burn injuries (Kaups et al). 1998; 19:346-8
Extracorporeal membrane oxygenation in the treatment of respiratory failure in pediatric patients with burns (Pierre et al). 1998;19:131-4
Silipos neck wraps; *see* Bandages
Silver
A matched-pair, randomized study evaluating the efficacy and safety of Acticoat silver-coated dressing for the treatment of burn wounds (Tredget et al). 1998;19:531-7
Silver sulfadiazine
Prospective, randomized study of the efficacy of Mepitel on children with partial-thickness scalds (Gotschall et al). 1998;19:279-83
Skin
Cutaneous nerve distribution in adult rat hairy skin after thermal injury—an immunohistochemical study (Ward et al). 1998;19:10-7
A finite-element model predicts thermal damage in cutaneous contact burns (Orgill et al). 1998; 19:203-9
In vitro analysis of bromine chemical burns with use of full-thickness human skin (Eliaz et al). 1998;19:18-24
Local anesthetics improve dermal perfusion after burn injury (Jönsson et al). 1998;19:50-6
Modeling thermal skin burns on a personal computer (Diller). 1998;19:420-9
The role of interstitial Starling forces in the pathogenesis of burn edema (Kinsky et al). 1998;19:1-9
Skin, artificial
Integra Artificial Skin as a useful adjunct in the treatment of purpura fulminans (Besner and Klamar). 1998;19:324-9
Perioperative and postoperative dressing techniques for Integra Artificial Skin: views from two medical centers (Clayton and Bishop). 1998;19:358-63
Skin pigmentation
Burn area color changes after superficial burns in childhood: can they be predicted? (de Chalain et al). 1998;19:39-49
Skin transplantation
Acellular allodermis in burn surgery: 1-year results of a pilot trial (Sheridan et al). 1998;19:528-30
Acute development of invasive squamous cell carcinoma in a split-thickness skin graft donor site (Taylor et al). 1998;19:382-5
Autotransplantation of epithelial cells in the pig via an aerosol vehicle (Fraulin et al). 1998;19:337-45
The Biobrane stent (Jones). 1998;19:352-3
Comparison of glycerol preservation with cryopreservation methods on HIV-1 inactivation (van Baare et al). 1998;19:494-500
Integra Artificial Skin as a useful adjunct in the treatment of purpura fulminans (Besner and Klamar). 1998;19:324-9
Melanocytes in cultured epithelial grafts are depleted with serial subcultivation and cryopreservation: implications for clinical outcome (Compton et al). 1998;19:330-6
Melting graft–wound syndrome (Matsumura et al). 1998;19:292-5
"Out of the Strong Came Forth Sweetness": on the contribution of military conflicts to the development of burn treatment in Israel (Eldad). 1998; 19:470-9
Pilot study of a unique film dressing for the treatment of donor site wounds (Himel et al). 1998;19:62-5 (Case rep.)
Pneumoperitoneum-assisted harvesting of split-thickness skin grafts from the abdomen (Soran et al). 1998;19:404-5
Reconstruction of basement membrane after 'sandwich-technique' skin grafting for severe burns demonstrated by immunohistochemistry (Horch et al). 1998;19:189-202
Silipos neck wraps (Nakamura et al). 1998;19:181-2
A study of functional viability and metabolic degeneration of human skin stored at 4° C (Chang et al). 1998;19:25-8
Trilaminar skin coverage combined with cultured epithelial autografts—a new technique for treating the elderly patient with burn injuries (Haith et al). 1998;19:59-61 (Case rep.)
The use of sheet autografts to cover extensive burns in patients (Archer et al). 1998;19:33-8
Skull
Management of massive calvarial exposure in young children (Sheridan et al). 1998;19:29-32
Sleep disorders
Sleep disturbance after burn injury: a frequent yet understudied complication (Lawrence et al). 1998; 19:480-6
Smoke inhalation injury
Extracorporeal membrane oxygenation in the treatment of respiratory failure in pediatric patients with burns (Pierre et al). 1998;19:131-4
Negative-pressure pulmonary edema with a patent airway (Engoren). 1998;19:317-20
Reduction in mortality in pediatric patients with inhalation injury with aerosolized heparin/acetylcystine therapy (Desai et al). 1998;19:210-2
Social support
Rates of dysfunction in parents of pediatric patients with burns (Kendall-Grove et al). 1998;19:312-6
Treatment-resistant pain and distress during pediatric burn-dressing changes (Foertsch et al). 1998; 19:219-24

Work status and attrition from longitudinal studies are influenced by psychiatric disorder (Fauerbach et al). 1998;19:248-52

Software

Descriptive statistics: practical applications of the NATIONAL TRACS®/ABA Burn Registry (McDonald-Smith). 1998;19:261-4

Keeping on track with NATIONAL TRACS®/ABA Burn Registry (Allwood and Desmond). 1998; 19:66-72

Modeling thermal skin burns on a personal computer (Diller). 1998;19:420-9

Progress report: 1998 NATIONAL TRACS®/ABA Burn Registry and related activities (McDonald-Smith). 1998;19:354-7

Spina bifida; ***see*** **Spinal dysraphism**

Spinal dysraphism

Children with sensorimotor deficits: a special risk group (Ramirez et al). 1998;19:124-7

Squamous cell carcinoma; ***see*** **Carcinoma, squamous cell**

Staphylococcus aureus

Melting graft–wound syndrome (Matsumura et al). 1998;19:292-5

Staphylococcus epidermidis

Is the limulus amebocyte lysate the sole predictor of septic episodes in major thermal injuries? (Heggers et al). 1998;19:512-5

Starling forces

The role of interstitial Starling forces in the pathogenesis of burn edema (Kinsky et al). 1998;19:1-9

Stents

The Biobrane stent (Jones). 1998;19:352-3

Sterilization

Sterilizing a Clinitron air-fluidized bed with colistine powder (Glicksman). 1998;19:245-6

Streptococcus

Melting graft–wound syndrome (Matsumura et al). 1998;19:292-5

Streptomycin

Alternate antimicrobial therapy for vancomycin-resistant enterococci burn wound infections (Heggers et al). 1998;19:399-403

Stress, psychological

On an island by myself: women of color with facial distinctions (Solomon). 1998;19:268-78

Changing faces: taking up Macgregor's challenge (Partridge). 1998;19:174-80

Rehabilitation challenges for burn survivors with residual disfigurement: promising directions for intervention, research, and collaboration (Pruzinsky). 1998;19:169-73

Sleep disturbance after burn injury: a frequent yet understudied complication (Lawrence et al). 1998;19:480-6

Work status and attrition from longitudinal studies are influenced by psychiatric disorder (Fauerbach et al). 1998;19:248-52

Stress disorders, post-traumatic

Posttraumatic stress disorder in burn populations: a critical review of the literature (Baur et al). 1998;19:230-40

Sleep disturbance after burn injury: a frequent yet understudied complication (Lawrence et al). 1998;19:480-6

Surgery

Acellular allodermis in burn surgery: 1-year results of a pilot trial (Sheridan et al). 1998;19:528-30

Autotransplantation of epithelial cells in the pig via an aerosol vehicle (Fraulin et al). 1998;19:337-45

The Biobrane stent (Jones). 1998;19:352-3

Hot-press hand burn treatment (Celikoz et al). 1998;19:128-30

Integra Artificial Skin as a useful adjunct in the treatment of purpura fulminans (Besner and Klamar). 1998;19:324-9

Intraoperative blood salvage in excisional burn surgery: an analysis of yield, bacteriology, and inflammatory mediators (Jeng et al). 1998; 19:305-11

Management of massive calvarial exposure in young children (Sheridan et al). 1998;19:29-32

Melanocytes in cultured epithelial grafts are depleted with serial subcultivation and cryopreservation: implications for clinical outcome (Compton et al). 1998;19:330-6

Reconstruction of basement membrane after 'sandwich-technique' skin grafting for severe burns demonstrated by immunohistochemistry (Horch et al). 1998;19:189-202

Silipos neck wraps (Nakamura et al). 1998;19:181-2

Trilaminar skin coverage combined with cultured epithelial autografts—a new technique for treating the elderly patient with burn injuries (Haith et al). 1998;19:59-61 (Case rep.)

The use of sheet autografts to cover extensive burns in patients (Archer et al). 1998;19:33-8

Surgical wound infection

Surveillance of burn wound infections: a proposal for definitions (Peck et al). 1998;19:386-9

Swine

Autotransplantation of epithelial cells in the pig via an aerosol vehicle (Fraulin et al). 1998;19:337-45

A finite-element model predicts thermal damage in cutaneous contact burns (Orgill et al). 1998;19:203-9

SWOT analysis

The ABA at 30: a SWOT analysis (Deitch). 1998; 19:462-9

Sympathetic nerve block; ***see*** **Autonomic nerve block**

T

Temperature

Calorigenic response of burned rats with adrenal medullectomies to catecholamines (Caldwell et al). 1998;19:106-14

Chronic indomethacin administration blocks increased body temperature after burn injury in rats (Caldwell et al). 1998;19:501-11

Test-retest reliability; *see* Reproducibility of results

Tetracycline

Alternate antimicrobial therapy for vancomycin-resistant enterococci burn wound infections (Heggers et al). 1998;19:399-403

Thermal injury

Burn area color changes after superficial burns in childhood: can they be predicted? (de Chalain et al). 1998;19:39-49

Cutaneous nerve distribution in adult rat hairy skin after thermal injury—an immunohistochemical study (Ward et al). 1998;19:10-7

Effect of 'Compound R' on thermal burn and full-depth wound contracture in fuzzy rats (Noormohamed and Ray). 1998;19:213-5

A finite-element model predicts thermal damage in cutaneous contact burns (Orgill et al). 1998;19:203-9

Profile of an abused burned child (Bennett and Gamelli). 1998;19:88-94

A retrospective study of the incidence and prevalence of thermal corneal injury in patients with burns (Boone et al). 1998;19:216-8

Thorax

The use of sheet autografts to cover extensive burns in patients (Archer et al). 1998;19:33-8

Threonine

Characteristics of thrombospondin-1 and its cysteine-serine-valine-threonine-cysteine-glycine receptor in burn wounds (Roth et al). 1998; 19:487-93

Thrombospondin-1

Characteristics of thrombospondin-1 and its cysteine-serine-valine-threonine-cysteine-glycine receptor in burn wounds (Roth et al). 1998; 19:487-93

Tissue donors

Pilot study of a unique film dressing for the treatment of donor site wounds (Himel et al). 1998;19:62-5 (Case rep.)

Tissue preservation

Comparison of glycerol preservation with cryopreservation methods on HIV-1 inactivation (van Baare et al). 1998;19:494-500

Titanium tetrachloride

Titanium tetrachloride: an unusual agent with the potential to create severe burns (Paulsen et al). 1998;19:377-81

Topical administration; *see* Administration, topical

Toxic epidermal necrolysis; *see* Epidermal necrolysis, toxic

Toxicity

In vitro analysis of bromine chemical burns with use of full-thickness human skin (Eliaz et al). 1998 19:18-24

Tranquilizing agents, minor

A comparison of oral transmucosal fentanyl citrate and oral hydromorphone for inpatient pediatric burn wound care analgesia (Sharar et al). 1998; 19:516-21

Transfer; *see* Patient transfer

Transforming growth factor alpha

Acceleration of partial-thickness burn wound healing with topical application of heparin-binding EGF-like growth factor (HB-EGF) (Cribbs et al). 1998; 19:95-101

Transplantation, autologous

Acute development of invasive squamous cell carcinoma in a split-thickness skin graft donor site (Taylor et al). 1998;19:382-5

Autotransplantation of epithelial cells in the pig via an aerosol vehicle (Fraulin et al). 1998;19:337-45

Integra Artificial Skin as a useful adjunct in the treatment of purpura fulminans (Besner and Klamar). 1998;19:324-9

Management of massive calvarial exposure in young children (Sheridan et al). 1998;19:29-32

Melanocytes in cultured epithelial grafts are depleted with serial subcultivation and cryopreservation: implications for clinical outcome (Compton et al). 1998;19:330-6

Reconstruction of basement membrane after 'sandwich-technique' skin grafting for severe burns demonstrated by immunohistochemistry (Horch et al). 1998;19:189-202

Trilaminar skin coverage combined with cultured epithelial autografts—a new technique for treating the elderly patient with burn injuries (Haith et al). 1998;19:59-61 (Case rep.)

The use of sheet autografts to cover extensive burns in patients (Archer et al). 1998;19:33-8

Transplantation, homologous

Acellular allodermis in burn surgery: 1-year results of a pilot trial (Sheridan et al). 1998;19:528-30

A study of functional viability and metabolic degeneration of human skin stored at 4° C (Chang et al). 1998;19:25-8

Treatment outcome

Acellular allodermis in burn surgery: 1-year results of a pilot trial (Sheridan et al). 1998;19:528-30

Development of a burn rehabilitation unit: impact on burn center length of stay and functional outcome (DeSanti et al). 1998;19:414-9

The mechanisms, intensity of treatment, and outcomes of hospitalized burns: issues for prevention (Forjuoh). 1998;19:456-60

Melanocytes in cultured epithelial grafts are depleted with serial subcultivation and cryopreservation: implications for clinical outcome (Compton et al). 1998;19:330-6

Purpura fulminans: a disease best managed in a burn center (Brown et al). 1998;19:119-23

U

Urethra
Traumatic urethral fistula in a patient with burns (Balakrishnan et al). 1998;19:57-8 (Case rep.)

V

Valine
Characteristics of thrombospondin-1 and its cysteine-serine-valine-threonine-cysteine-glycine receptor in burn wounds (Roth et al). 1998; 19:487-93

Vancomycin
Alternate antimicrobial therapy for vancomycin-resistant enterococci burn wound infections (Heggers et al). 1998;19:399-403

Viability; *see* Cell survival

Vision
A retrospective study of the incidence and prevalence of thermal corneal injury in patients with burns (Boone et al). 1998;19:216-8

Visual Analogue Pain Scale; *see* Pain measurement

Vitamin K
Commentary: nutrition forum (Boosalis). 1998;19:73-4
A prospective analysis of serum vitamin K in severely burned pediatric patients (Jenkins et al). 1998; 19:75-81

W

War
"Out of the Strong Came Forth Sweetness": on the contribution of military conflicts to the development of burn treatment in Israel (Eldad). 1998; 19:470-9

Water
Titanium tetrachloride: an unusual agent with the potential to create severe burns (Paulsen et al). 1998;19:377-81

Weight gain
Increased protein intake during the recovery phase after severe burns increases body weight gain and muscle function (Demling and DeSanti). 1998;19:161-8

Wheelchairs
A new barrier-free burn center (Edlich et al). 1998; 19:390-8

Women
On an island by myself: women of color with facial distinctions (Solomon). 1998;19:268-78

Work
Work status and attrition from longitudinal studies are influenced by psychiatric disorder (Fauerbach et al). 1998;19:248-52

Wound healing
Acceleration of partial-thickness burn wound healing with topical application of heparin-binding EGF-like growth factor (HB-EGF) (Cribbs et al). 1998; 19:95-101
Characteristics of thrombospondin-1 and its cysteine-serine-valine-threonine-cysteine-glycine receptor in burn wounds (Roth et al). 1998;19:487-93
Effect of 'Compound R' on thermal burn and full-depth wound contracture in fuzzy rats (Noormohamed and Ray). 1998;19:213-5
Melting graft–wound syndrome (Matsumura et al). 1998;19:292-5
Prospective, randomized study of the efficacy of Mepitel on children with partial-thickness scalds (Gotschall et al). 1998;19:279-83
Titanium tetrachloride: an unusual agent with the potential to create severe burns (Paulsen et al). 1998;19:377-81

Wound infection
Alternate antimicrobial therapy for vancomycin-resistant enterococci burn wound infections (Heggers et al). 1998;19:399-403
Surveillance of burn wound infections: a proposal for definitions (Peck et al). 1998;19:386-9